Dipartimento di Scienza dei Materiali Department of Materials Science

Department of excellence 2018-20

ANNUAL REPORT 2023



University of Milano - Bicocca

Front cover: "Light in a sheet of paper", by Edoardo Petrillo, winner of the first edition of the photo contest "Come vedi la Scienza dei Materiali (Don't stop capturing Materials Science)"

Activity 2022

INDEX

THE DEPARTMENT OF MATERIALS SCIENCE	4
DEPARTMENT OF EXCELLENCE 2018-2022	8
PEOPLE	11
RESEARCH	14
FUNDED PROJECTS	71
PUBLICATIONS AND PhD THESES	76
FACILITIES, CENTERS, AND SPIN-OFFS	100



THE DEPARTMENT OF MATERIALS SCIENCE

http://www.mater.unimib.it/

Address: building U5-RATIO, Via Cozzi 55, I-20125 Milano (I)

Phone: +39 02.6448.5101/2/3

Secretariat: lucia.rodolfi@unimib.it

Head: Prof. Anna Vedda

ISI-CRUI Sectors: Chemistry, Physical Chemistry, Chemical Physics, Spectroscopy, Instrumentation Engineering, Analytical Sciences, Optics and Optometry, Organic Chemistry, Polymer Science, Materials Science, Physics, Condensed Matter, Applied Physics

ABOUT US

The Department was established in 1997 on the initiative of a group of physicists and chemists of the University of Milano. It is linked to the Materials Science Degree Courses and Doctorate, to the Degree Courses in Optics and Optometry and to the Degree Courses in Chemical Science and Technology.

The main research fields are:

- materials for environment and energetics
- materials for photonics and microelectronics
- materials in cultural heritage
- nanomaterials and nanomedicine
- optometry
- organic and polymeric materials

The Department offers an interlinked system of services, consisting in vocational guidance support, help desk for didactics and student career, Socrates-Erasmus desk, office for stages in private high-tech companies, advanced scientific analyses for private customers.

The Department was awarded Department of Excellence and granted a funding of more than 10 million euros in 2018 from the Ministry of University and Research of Italy.

STRATEGIC GOALS

General goals of the Department of Materials Science include competitive Research & Development and Advanced Training, both in basic and applied research, in the field of new materials and their industrial applications.

Theoretical and experimental studies are carried out in several fields such as ionic conductors, electrochemistry, solar energy, artificial photosynthesis, molecular electronics, laser, molecular modelling, insulator oxides, non-linear optics, polymers, semiconductors, sensors, organic and inorganic materials, superconductors, luminescence, glass, optical fibers. Beside the main spectroscopic and electrical characterization techniques, advanced materials analysis is achieved by means of many experimental techniques such as AFM, STM, ESR, TEM, FIB, NMR and a number of other advanced optical, magnetic, and electrical instrumentations.

The research activities are also devoted to specific application fields like such as materials and techniques for energetics, environment, and cultural heritage.

Research is carried out within the framework of national and international projects, leading to a great number of high-level publications and patents.

The educational project aims at forming young professionals highly qualified in both physics and chemistry, able to fit their knowledge to the contemporary requirements of the related labour market. Milano-Bicocca University is in fact located in an area where highly specialized high-tech companies are abundant, offering stimulating employment opportunities in consolidated applications (nanotechnology, elastomers, polymers, insulators, semiconductors, ceramics) as well as in innovative materials (optical fibers, ionic conductors, superconductors, organic and inorganic semiconductors, materials for solar energy, micro and opto-electronics, radiation detectors).

Degrees in Materials Science and in Chemical Science and Technology include a 1st cycle degree (Laurea, three years), followed by a 2nd cycle two-year specializing course (Laurea Magistrale).

The 1st cycle three-years course of Optics and Optometry gives important professional opportunities.

Finally, rich opportunities for post-lauream courses and research are offered by the Doctorate in Materials Science and Nanotechnologies.

DEPARTMENT BOARD

<u>HEAD</u>

Anna Vedda

DEPUTY HEAD

Piercarlo Mustarelli

DEPARTMENT COUNCIL

(Head, Deputy Head, Head of Administration Office, Teaching Board, 3 elected faculty members, 1 elected representative of technical staff)

Anna Vedda, Piercarlo Mustarelli, Lucia Rodolfi, Angiolina Comotti, Adele Sassella, Roberto Scotti, Michele Mauri, Francesco Montalenti, Dario Narducci, Luisa Raimondo





TEACHING BOARD

CHEMICAL SCIENCE

Roberto Scotti

MATERIALS SCIENCE Angiolina Comotti

OPTICS AND OPTOMETRY

Adele Sassella

DOCTORATE

Marco Bernasconi Francesco Montalenti (deputy)

DEPARTMENT OF EXCELLENCE 2018-2022

The project "Electrical Power and Energy Vectors from Renewable Sources - FLEXILAB" of the Department of Materials Science of the University of Milano – Bicocca is funded by the "Fondo per il finanziamento dei dipartimenti universitari di eccellenza – D.L. n.232 del 11/12/2016, Vol I, Commi 314-338". Such competitive funding from the Italian Government was granted to the best 180 Italian Departments (807 in total) by means of a selection based on the Department productivity and the quality of a development project. The Department of Materials Science resulted among the best 11 in the area of Chemical Sciences. The total cost of FLEXILAB is 10.700.000 € with a direct funding from MIUR of 6.500.000 €. FLEXILAB has the ambition to constitute a Departmental Laboratory, open to collaboration with external stakeholders, on materials for a sustainable energy cycle.

The FLEXILAB project aims to make the Department a reference center in the development of sustainable energy materials and technologies through its value cycle. The Department can play a leading role, merging existing skills with others to be acquired. Energy supply with sustainable methods is a theme of great social impact. Recent data show that there is not a single successful technology capable of coping alone with the global energy problem, but rather a complex set of interdependent solutions aimed at both power generation and distributed networks. The project, fully in line with the priorities indicated by the European Strategic Energy Technology Plan (SET-Plan) dedicated to the development of technologies with low CO2 emissions, will allow efficient and effective development of basic know-how and derived technologies, as well as training qualified researchers.

VISION

Five objectives will be pursued:

- Make the Department able to respond to the complex problem of sustainable energy in a structured way to the demanding tasks of the circular economy.
- Strengthen the research lines on innovative and sustainable materials for the production and efficient use of energy. Add expertise in the development of electrolyte materials, at the base of strategic technologies such as the electrochemical generation of hydrogen and its conversion (fuel cells).
- Realize a laboratory equipped with flexible and enabling infrastructures, FLEXILAB, which allows all lines of research to align on TRL ≥4, this way facilitating the transition from ideas to of devices
- Train young researchers with new skills and roles to make them able to approach the problem of sustainable energy as a whole, tackling problems ranging from the design and implementation of materials and technologies to the social, environmental and economic repercussions.
- Increase collaboration between universities and businesses.

Globally, the project aligns with the "Materials Research Science and Engineering Centers" (MRSEC) initiatives funded by the National Science Foundation for the purpose of developing interdisciplinary research programs integrated with an academic high-level training program at American universities.

WORK PACKAGES

- **WP1 Photovoltaic cells**. Focus on new inorganic and hybrid thin films (e.g. perovskites) in order to realize tandem cells to reach 30% efficiency target. WP leader: Prof. M. Acciarri.
- **WP2 Electrochemical energy storage**. Focus on lithium and post-lithium (e.g. sodium) batteries. Both electrodes (e.g. intercalation-type and conversion-type materials) and electrolytes will be investigated. WP leader: Prof. R. Ruffo
- WP3 Electrochemical energy conversion (fuel cells). Focus on systems with proton or anionic conducting polymer membranes, with low-cost electrode materials (e.g. without noble metals). WP leader: Prof. P. Mustarelli.
- WP4 Production of solar fuels and chemicals. Focus on the solar production of hydrogen and small carbon-based molecules from sun and nature abundant and ubiquitous feedstocks (H2O, CO2) by photocatalytic and photoelectrochemical approaches using a) new organic-based materials, b) 1D and 2D semiconductors and oxides. WP leader: Dr. N. Manfredi
- WP5 Hydrogen storage. Focus on organic and metal-organic nanoporous materials with high surface (>4000 m2/g) to store hydrogen at more moderate pressures (100-200 bar) than those required by gas compression (700 bar). WP leader: Prof. A. Comotti.

INTERNATIONAL ADVISORY BOARD

Richard Noetzel - South China Normal University, Guangzhou (China) Markus Niederberger - ETH, Zurich (Switzerland) Uve Posset - Fraunhofer Institut fur Silicatforschung, Wurzburg (Germany) Ivan Gordon - IMEC, Leuven (Belgium) Neil Mckeown - The University of Edinburgh, Edinburgh (UK) Stefano Passerini - Karlsruhe Institute of Technology, Helmholtz Institute Ulm (Germany)

STEERING COMMITTEE

- Prof. Alessandro Abbotto (Project Coordinator)
- Prof. Luca Beverina
- Prof. Simona Binetti
- Prof. Angiolina Comotti
- Prof. Piercarlo Mustarelli
- Prof. Stefano Sanguinetti (Principal Investigator)
- Prof. Anna Vedda





Professors and researchers

Professors Emeriti

Giorgio BENEDEK (FIS/03), Alessandro BORGHESI (FIS/01)

Full Professors

Alessandro ABBOTTO (CHIM/06), Marco BERNASCONI (FIS/03), Luca BEVERINA (CHIM/06), Simona BINETTI (CHIM/02), Sergio BROVELLI (FIS/01), Angiolina COMOTTI (CHIM/04), Cristiana DI VALENTIN (CHIM/03), Marco FANCIULLI (FIS/03), Marco MARTINI (FIS/07), Francesco MEINARDI (FIS/03), Leonida MIGLIO (FIS/03), Francesco MONTALENTI (FIS/03), Piercarlo MUSTARELLI (CHIM/02), Gianfranco PACCHIONI (CHIM/03), Alberto PALEARI (FIS/01), Antonio PAPAGNI (CHIM/06), Riccardo RUFFO (CHIM/02), Stefano SANGUINETTI (FIS/03), Adele SASSELLA (FIS/01), Piero SOZZANI (CHIM/04), Anna VEDDA (FIS/01)

Associate Professors

Maurizio ACCIARRI (FIS/01), Carlo ANTONINI (ING-IND/22), Emiliano BONERA (FIS/01), Silvia BRACCO (CHIM/04), Massimiliano D'ARIENZO (CHIM/03), Mauro FASOLI (FIS/01), Anna GALLI (FIS/07), Livia GIORDANO (CHIM/03), Norberto MANFREDI (CHIM/06), Angelo MONGUZZI (FIS/01), Massimo MORET (CHIM/03), Fabrizio MORO (FIS/01), Dario NARDUCCI (CHIM/02), Fabio PEZZOLI (FIS/01), Roberto SCOTTI (CHIM/03), Roberto SIMONUTTI (CHIM/04), Silvia TAVAZZI (FIS/01), Sergio TOSONI (CHIM/03)

Assistant Professors

Roberto BERGAMASCHINI (FIS/03), Davide CAMPI (FIS/03), Francesco CARULLI (FIS/01), Stefano CECCHI (FIS/03), Norberto CHIODINI (CHIM/07), Barbara DI CREDICO (CHIM/07), Giovanni DI LIBERTO (CHIM/03), Chiara FERRARA (CHIM/02), Roberto LORENZI (FIS/01), Michele MAURI (CHIM/04), Sara MATTIELLO (CHIM/06), Alessandro MINOTTO (FIS/01), Roberto NISTICO' (CHIM/03), Jacopo PEDRINI (FIS/01), Carlo SANTORO (ING-IND/24), Mauro SASSI (CHIM/06), Emilio SCALISE (FIS/03), Vanira TRIFILETTI (CHIM/02), Giovanni Maria VANACORE (FIS/03), Irene VILLA (FIS/01), Fabrizio ZERI (FIS/07)

PhD students

Omar ABOU EL KHEIR, Massimo ALAGIA, Francesca ALESSANDRINI, Seyed ARIANA MIRSHOKRAEE, Arianna ALESSI, Dario BARATELLA, Linda BARBIERI, Valentina BELLOTTI, Enrico BIANCHETTI, Eleonora BONAVENTURA, Matteo BOVENTI, Gabriele BRUGNETTI, Daniela BUCCHIERI, Tommaso CAIELLI, Mattia CARNEVALE, Rajat CHAUDHARY, Luis Antonio CIPRIANO MARCOS, Chiara DALDOSSI, Davide Maria DE LUCA, Cristina DECAVOLI, Edoardo DONADONI, Andrea ERROI, Federica Maria Camilla FERRUTI, Giulia FRIGERIO, Luigi FRIONI, Erika GHIGLIETTI, Federico GIULIO, Amin Hasan HUSSEIN, Shahid KHALID, Daniele LANZONI, Lorenzo LOCATELLI, Elisa MANZINI, Chiara MASSETTI, Sara MECCA, Lorenzo MEZZOMO, Lorenzo MIRIZZI, Daniele MONTINI, Riccardo MORINA, Mohsin MUHYUDDIN, Matteo ORFANO, Jacopo ORSILLI, Sara Fernanda ORSINI, Anny Catalina OSPINA PATINO, Irene OSTROMAN, Francesca PALLINI, Alice PANCALDI, Nicolò PEDRANI, Simone PEREGO, Andrea PIANETTI, Sergio PIVA, Miriam SALEH, Luca STENDARDO, Fabiana TAGLIETTI, Giulia TAMBURINI, Enrico TRIZIO, Dagmara TROJANOWSKA, Lorenzo VIGANO', Dawod Salim YOUSIF, Anita ZUCCHI

Post-Docs and other Research Fellows

Debdipto ACHARYA, Raziyeh AKBARI, Abhinav ANAND, Luca BARBISAN, Charl Xavier BEZUIDENHOUT, Chiara Liliana BOLDRINI, Simone BONIZZONI, Raffaella BREGLIA, Federico CESURA, Francesca COVA, Andrea DAOLIO, Tilak DAS, Valerio DI PALMA, Beatrice FERRARI, Antonio GENTILE, Quoc Duy HO, Sara LAPORTE, Farahnaz MALEKI, Antonella MASCI, Lorenzo MIRIZZI, Mauro MONTI, Silvia MOSTONI, Matteo ORFANO, Jacopo PEREGO, Daniele PERILLI, Nicolò PIANTA, Erika PONZINI, Andrea Francesca QUIVELLI, Valeria SECCHI, Eva SEDIVA, Paulo SIANI, Irene TAGLIARO, Vanira TRIFILETTI, Giorgio TSEBERLIDIS, Aldo UGOLOTTI, Elisa VITIELLO

Spinoffs

Alberto BIANCHI (Graftonica), Francesco BRUNI (G2P), Chiara CAPITANI (G2P), Silvia FERRARIO (Graftonica).

Administrative and technical staff

Administrative staff

Paola IANNACCONE, Lucia RODOLFI, Cristina VALENTINO, Stefano ZANINI

Technical staff

Sergio BIETTI, Chiara Liliana BOLDRINI, Carmen CANEVALI, Lorenzo FERRARO, Claudio LAGRASTA, Anna MARZEGALLI, Francesco MASPERO, Laura PANZERI, Giorgio PATRIARCA, Luisa RAIMONDO, Silvia TRABATTONI, Bruno VODOPIVEC

RESEARCH

(in alphabetic order)



Materials for energy and environment

Alessandro Abbotto, Norberto Manfredi. Organic and hybrid materials and devices for solar fuels and artificial photosynthesis

Simona Binetti, Maurizio Acciarri, Vanira Trifiletti. **Material and devices for Photovoltaics (MIB-SOLAR)**

Dario Narducci. Thermoelectricity: Materials and Applications

Carlo Antonini. Surface Engineering and Fluid Interfaces (SEFI Lab)

Angiolina Comotti. **Porous materials: design, synthesis, structural characterization and switchable molecular dynamics**

Massimiliano D'Arienzo, Barbara Di Credico, Roberto Nisticò, Roberto Scotti. **Chemistry of inorganic and hybrid materials (NanoMat@Lab)**

Cristiana Di Valentin. Theory of 2D and 0D materials: bidimensional layers and nanoparticles (NanoQLab)

Massimo Moret. Crystal growth and characterization: study of polymorphism

Chiara Ferrara, Piercarlo Mustarelli. Materials for electrochemical energy conversion: synthesis, ex-situ and operando characterization

Giovanni Di Liberto, Livia Giordano, Gianfranco Pacchioni, Sergio Tosoni. **Theory of inorganic** materials for energy and environment

Riccardo Ruffo. Materials for energy storage and energy saving (EES)

Carlo Santoro. Electrocatalysis and Bioelectrocatalysis LAB (EBLab)

Materials for microelectronics and photonics

Giorgio Benedek, Marco Bernasconi, Davide Campi. **First principles simulations of materials for microelectronics**

Emiliano Bonera, Fabio Pezzoli, Jacopo Pedrini. Optical spectroscopy of semiconductors

Sergio Brovelli, Francesco Meinardi, Angelo Monguzzi. **Advanced spectroscopy of functional nanomaterials**

Marco Fanciulli, Fabrizio Moro. Materials and spectroscopies for nanoelectronics and spintronics

Mauro Fasoli, Roberto Lorenzi, Alberto Paleari, Anna Vedda. Luminescent materials for optical technology and ionizing radiation detection

Roberto Bergamaschini, Leo Miglio, Francesco Montalenti, Emilio Scalise. **Modeling and simulations of semiconductor heteroepitaxy**

Stefano Cecchi, Stefano Sanguinetti. Fabrication and study of semiconductor quantum nanostructures (EpiLab)

Alessandro Minotto, Adele Sassella. Organic molecular films and heterostructures

Giovanni Maria Vanacore. Laboratory of Ultrafast Microscopy for Nanoscale Dynamics (LUMiNaD)



Materials in cultural heritage

Anna Galli, Marco Martini. Dating and characterization of ancient materials. Materials science and cultural heritage



Alessandro Borghesi, Silvia Tavazzi, Fabrizio Zeri. Optics and optometry

Organic and polymeric materials

Luca Beverina, Mauro Sassi. Functional dyes and pigments for photonics, electronics and optoelectronics

Silvia Bracco, Piero Sozzani. Generation of nanospaces for polymerization and gas capture

Antonio Papagni. Organic functionalized materials for optoelectronic applications and thermally and photochemically activate organic systems with cross-linking potentials

Michele Mauri, Roberto Simonutti. Synthesis and characterization of novel polymeric nanostructure

Organic and hybrid materials and devices for solar fuels and artificial photosynthesis



Alessandro Abbotto, Norberto Manfredi

Present energy needs are classified into two main sectors: a) production of electricity; b) production of chemicals and fuels for industry, transportation, and agriculture. We focus our interest on the use of clean, no cost and abundant sources like sunlight, water, carbon dioxide, and nitrogen for photovoltaics and artificial photosynthesis. In the MIB-SOLAR and FLEXILAB labs, containing an ISO7 clean room and state-of-the-art facilities, we investigate materials and devices for artificial photosynthesis and photovoltaics.

ARTIFICIAL PHOTOSYNTHESIS: CLEAN AND RENEWABLE SOLAR FUELS AND CARBON-BASED CHEMICALS



We apply the molecular approach to design and investigate dyes and catalysts for artificial photosynthetic

processes, namely water splitting, reduction of carbon dioxide and artificial nitrogen fixation to ammonia.

Water splitting is able to produce hydrogen, which can be used as a fuel or reactant in chemical industry. The reduction of CO₂ affords a number of 1C strategic chemicals and fuels, such as HCOOH, CO, CH₃OH and CH₄. Fixation of nitrogen is the solar-induced alternative route of the over one century old energy intensive and strongly greenhouse gas emitting polluting Haber-Bosch process to ammonia, used for fertilizers and thus highly strategic for feeding the growing population worldwide.

Two main approaches are used: a) photocatalysis; b) photoelectrochemical cells (PEC). In particular, we focus our attention on dye-sensitized photocatalysis and PEC (DS-PEC) where the key component is a molecular antenna-dye able to efficiently absorb sunlight on the surfaces of n- and p-type high band gap semiconductor oxides.

The final target is an integrated device based on low-cost earth-abundant starting materials: the artificial leaf.

ORGANIC AND HYBRID 3RD GENERATION PHOTOVOLTAICS

We investigate dye-sensitized solar cells (DSSC) in unconventional eco-friendly aqueous solvents based on

Deep Eutectic Solvents (DES) in order to avoid the use of toxic and volatile components for low light and indoor application.

MAIN FACILITIES

Fully equipped organic synthesis and characterization laboratories.

Clean-room labs (MIB-SOLAR and FLEXILAB) for preparation and characterization of photocatalytic and photoelectrochemical devices for artificial photosynthesis and photovoltaics.





Material and devices for Photovoltaics (MIB-SOLAR)

Simona Binetti, Maurizio Acciarri, Vanira Trifiletti







Currently, crystalline-Si (c-Si) based devices rule the photovoltaic (PV) market, accounting for about 96% of the total annual production versus 4% for thin film based technologies (namely, CdTe, Cu(In,Ga)Se₂(CIGS) and a-Si). In spite of the strong market gap between Si and thin film technologies, the development of PV absorbers proper for thin film-based devices is nowadays even more crucial than in the past for future applications both in Building/Product Integrated Photovoltaics and in tandem devices. Furthermore, the availability of many raw materials used in thin film solar devices is seriously decreasing, while both energy and technology need for daily life are strongly increasing, which makes material saving crucial. The most studied alternatives to CdTe and CIGS in the last years were Cu₂ZnSnS₄ (CZTS) and Cu₂ZnSnS₄ (CZTSe), where more abundant and less expensive elements like Zn and Sn are used in place of In and Ga. More recently, alternatives based on earth-abundant elements emerged, including Cu₂MnSnS₄ (CMTS) and Cu₂FeSnS₄ (CFTS).

Our research activities deal with the above-mentioned PV absorbers and related solar devices. In detail: **SILICON**: under the realistic assumption that c-Si based PV modules will dominate the PV market in the coming decade, our research activity has been focused on the further increase of Si solar cells efficiency (studying the effect of defects mainly by spectroscopic techniques), on the characterization of low-price and high-quality solar grade silicon feedstock and finally on new initiatives to build high-efficiency tandem solar cells.

CIGS and CuGaS2 (CGS): thin films on glass and flexible substrates (like plastic foils) are grown by an innovative hybrid sputtering-evaporation approach (combining the advantages of both techniques) and tested both in single junction and tandem devices.

CZTS, CFTS and CMTS are prepared mainly by a soft-chemical route involving the coordination of the metals into the solution thanks to the use of DMSO as solvent and thiourea as the sulphur source, making it very appealing due to the absence of further organic additives and external sulphur sources. The precursors' solution is directly deposited by drop-casting onto the substrate without the use of further expensive and/or industrially non-compatible instruments, making the whole procedure appealing for industrial green application.

Lately, halide perovskite (HP) solar cells broke into thin film PV technology, proposing themselves as the best companion of silicon and chalcogenide-based thin films in tandem architecture devices. In this scenario, the HP range of light absorption can be tuned, varying the chemical composition, to match the requirements of the tandem counterpart. Besides, HPs can self-assemble in bulk materials where the charge is confined, for this reason, they are called low-dimensional HPs. The charge confinement impact on the optoelectronic properties opens the way for various HPs technology applications (e.g. thermoelectric generators, memristors and sensors).

A comprehensive structural and spectroscopic characterization (including scanning electron microscopy, Raman spectroscopy, X-ray diffraction and photoluminescence) is performed for all these compounds. All thin films are produced, tested and fully characterized in prototype devices on rigid and flexible substrates.

MAIN FACILITIES

- Laboratory MIBSOLAR Building U5, Ground Floor, Room T057-T067
- Chemical Synthesis Laboratory Building U5, Floor 1, Room 1037
- Electrical and Spectroscopic Measurement Laboratory Building U5, Floor 1, Room 1034
- Thermal Treatment Laboratory Building U5, Floor 1, Room 1041
- Building U9, Room 10



$\frac{1}{2}$

Thermoelectricity: Materials and Applications

Dario Narducci



Thermoelectricity is a class of physical phenomena enabling both the conversion of heat into electricity and the extraction of heat (cooling) -- in both cases without the use of any movable part. As such, thermoelectric generators are suitable, especially when miniaturized, to harvest low-temperature heat and to make it available as electric power (e.g. to distributed sensor networks or to portable devices). Our research activity focuses both on materials and devices for suitable applications

SILICON THIN FILMS

Energy-selective charge carrier scattering was demonstrated to provide a route to enhance power factor of very heavily boron-doped nanocrystalline silicon films, up to the outstanding value of 40 mW/m²K. Research under way is meant to materials stabilization and to the extension of the process to n-type nanocrystalline silicon films.



SILICON NANOWIRES

Due to its high thermal conductivity, single-crystalline silicon is not suitable as such for thermoelectric applications. Nanostructuration offers effective ways to lower its thermal conductivity. Research is focused on the use of Metal-assisted Chemical Etching (MaCE) as a simple way to obtain Si nanowires (SiNWs). The process, along with the possibility of making electrical contacts localized at Si tips, discloses the opportunity of making bulk-like SiNW pads to be embedded into thermoelectric devices, either for cooling or for heat harvesting.

PAIRED PHOTOVOLTAIC-THERMOELECTRIC HARVESTERS

PV cells only convert a fraction of the solar spectrum, releasing a significant amount of energy as heat. Threfore, solar harvesting might be improved through an accurate coupling of PV cells to thermoelectric generators. Further to energy profitability, hybrid harvesters also meet criteria of economic convenience, which is required for pairing to be practically successful. We mostly work on the direct pairing of specially designed Bi₂Te₃ thermoelectric generators with perovskite-based photovoltaic cells.

THERMOELECTRICY UNDER NON-STATIONARY CONDITIONS

Thermoelectric low efficiencies are basically due to the difficulty of decoupling thermal and electrical conductivity in real systems. Nanotechnology has shown innovative ways to reach such a target. Additionally, thermal and electrical conductivities in bulk thermoelectrics may be uncoupled by operating thermoelectric generators in non-steady state mode. We are exploring how feeding time-modulated heat fluxes may enhanced conversion efficiencies at maximum power.



Surface Engineering and Fluid Interfaces (SEFI Lab)



Carlo Antonini

The Laboratory of Surface Engineering and Fluid Interfaces (SEFI Lab) focuses on research and innovation for the development of new technologies towards clean water and energy-efficient processes, two corner stones for sustainable development.

Research activities focus on understanding interfacial transport phenomena, for the design of innovative smart interfaces. SEFI Lab is characterized by an interdisciplinary approach, at the interface between thermofluidics, material science and surface micro- and nano- engineering.

ICEPHOBIC SURFACES

Surface icing can have many negative consequences in a broad range of fields. To avoid sever issues related to ice formation, superhydrophobic surfaces are known to be extremely efficient in terms of reducing ice nucleation and accretion on solid substrates. At SEFI Lab, we rationally design and fabricate advanced materials and surfaces, with hierarchical structuring down to the micro- and nanoscale, providing novel strategies to control phase change processes and limiting negative effects of uncontrolled icing or frosting, and developing new technological approaches for analyzing icing phenomena.

ATMOSPHERIC WATER HARVESTING

Among all water resources, fog harvesting from atmosphere is highly recommended, because it is a passive method with a considerably lower pollution and does not require high technology and costly operation and maintenance. At SEFI Lab, we are working on a new project on atmospheric water harvesting, named WaterHaB, spanning from studying the fundamental interaction of water with fibers and meshes, to engineering a windcatcher tower, modelled after a Badgir, an ancient Iranian architecture on building rooftops for enhancing fog collection.

ADDITIVE MANUFACTURING (3D PRINTING)

Among all other manufacturing technologies, we are investigating vat polymerization based Digital Light Processing (DLP) technique using liquid photopolymers (resin) as raw material. Also, we are incorporating metallic powder, few microns in diameter, to test the potential of metal printing from metal-loaded resin suspensions.

FUNCTIONAL POLYSACCHARIDE COATINGS

Polysaccharides can be used as coatings to control and reduce interaction between proteins and the capillary walls in capillary electrophoresis, with the goal of improving electrophoretic separation. We engineer polysaccharides using different chemical reactions and use them as capillary coatings.



Porous materials: design, synthesis, structural characterization and switchable molecular dynamics



Angiolina Comotti

The research activity deals with the generation of frameworks containing one-, two- and three-dimensional confined spaces with uniform and precisely engineered geometries to create new environments for capture of chemical entities. The study is focused on new materials with nanoscale architectures for storage of important gases, such as methane and hydrogen, considered as clean fuels. Additionally, carbon dioxide and other pollutants are removed from nitrogen and hydrogen by selective sequestration in pores. The construction of stable and robust covalent organic and hybrid frameworks with 3D periodic motifs can increase separation. capture and storage of small gas molecules, especially molecular hydrogen. These frameworks can arrange sites and receptors into arrays, for interacting with the targeted gas species. The adsorption properties of the novel materials are superior in many instances to the existing ones and yielded patents for applications in gas storage and purification. Characterization methods of the porous structures and of the confined gases/vapors is currently achieved by X-ray diffraction techniques: advanced experiments using synchrotron-light and neutron sources are currently performed at various European facilities, such as at ESRF (Grenoble) and Elettra (Trieste). In particular, the synchrotron XRD experiments enable the in-situ observations of the gas arrangement as well as adsorption kinetics. Additionally, the dynamics of gases and vapors in the confined state and the identification of weak interactions will be studied in depth by advanced solid state NMR spectroscopy.

A challenging issue is the dynamics of nanoporous solids. The research activity is focused on the insertion of molecular rotors in the building blocks of the porous materials, giving access to the control of rotary motion by chemical and physical stimuli. The combination of porosity with ultra-fast rotor dynamics is investigated in molecular crystals, covalent organic frameworks and MOFs by complementary techniques, which were proved to be sensitive to motion at regimes ranging from 104 to 1011 Hz. Remarkably, the rotor dynamics can be switched on and off by guest absorption/desorption, showing a change of material dynamics, which, in turn, produces modulated physical responses. Novel fluorinated dipole-bearing molecular rotors can be inserted on porous architectures, realizing ordered arrays of fast dipolar molecular rotors. The extremely rapid re-orientation in solids is challenging and enables the fabrication of ferroelectric switches, as revealed by dielectric measurements. The combination of pore-structure and dipolar rotors can be exploited for stimulated guest release.

A series of flexible molecular crystals made by azobenzene tetramers, that form porous molecular crystals in their trans configuration is pursued. The efficient trans \rightarrow cis photo-isomerization of the azobenzene units converts the crystals into a non-porous phase but crystallinity and porosity are restored upon Z \rightarrow E isomerization promoted by visible light irradiation or heating. The photo-isomerization enables reversible on/off switching of optical properties as well as the capture of CO2 from the gas phase.



Chemistry of inorganic and hybrid materials (NanoMat@Lab)



Massimiliano D'Arienzo, Barbara Di Credico, Roberto Nisticò, Roberto Scotti

INORGANIC MATERIALS FOR POLYMER COMPOSITES: FILLERS AND CURING ACTIVATORS

The research focus on the preparation by bottom-up approaches and chemical modification and functionalization of i) oxides (mainly ZnO and SiO₂) nanoparticles and polysilsesquioxanes and of ii) naturally occurring clays, with controlled morphological and surface features, employed in a wide range of applications (i.e., automotive, tyre, high performance dielectrics, smart-packaging). These materials are designed in collaboration with other academic and industrial partners (i.e. Corimav, Pirelli Tyres, Nuovo Pignone, Chimar SrI) for the preparation of polymer nanocomposites with high structural and functional properties.







OXIDE-BASED SYSTEMS FOR CATALYSIS, ELECTROCATALYSIS AND SCINTILLATORS

The research aims at i) the synthesis by soft-chemistry methods of morphology-controlled oxide nanoparticles (e.g., TiO₂, ZnO, MoO₃, iron oxides, magnetic ferrites) and porous systems (macro/mesoporous silica or alumina), and at ii) the study of their (photo)catalytic mechanism by spectroscopic and spectromagnetic techniques. The possibility of tailoring size, anisotropy, and surface functionalities of these systems by employing catalysts, soft templates, capping molecules, are exploited for the modulation of the inorganic-organic interfaces. This plays a crucial role in determining their properties and implementation to develop advanced hybrid materials for water/air depollution, CO₂ photoconversion, Na-ion batteries, electrocatalysis and scintillators, also in the frame of MUSA PNRR project in collaboration with Eni.

MATERIALS AND TECHNOLOGIES FOR RECYCLING, CIRCULAR ECONOMY & ENVIRONMENTAL REMEDIATION

The aim of this activity is to study and improve inorganic materials, such as titania, silica, and iron oxides, generated as by-products from the recovery industrial processes. The main goal is the modification of inorganic nanoparticles, obtained from waste by chemical, mechanical or thermal processes, to impart them specific structural and morphological properties for the reuse in many applications such as reinforced nanocomposites, or wastewater treatment or (photo)catalysts in collaboration with industrial parters (i.e., Fluorsid, Opigeo).

MAIN FACILITIES

- Two fully equipped laboratories for inorganic synthesis: solvothermal reactors, furnaces for thermal treatment up to 1600°C, Schlenk lines, mixing reactors with impeller, centrifuges;
- Bench-scale plants for UV and Vis-light photocatalytic test;
- XRPD Diffractometer (Rigaku);
- Scanning Electron Microscopy (SEM, JEOL JCM-7000);
- Attenuated Total Reflectance Fourier Transform Infrared Spectroscopy (ATR-FTIR) analysis;
- Thermal analysis (TGA, Mettler Toledo) up to 1400°C coupled with FTIR;
- Bruker ESR spectrometer equipped with liquid N₂/He Cryostat.

NanoMat-Lab

Chemistry of inorganic and hybrid materials



Theory of 2D and 0D materials: bidimensional layers and nanoparticles (NanoQlab)



Cristiana Di Valentin

COMPUTATIONAL NANOMEDICINE

Emerging semiconducting metal oxide nanostructures (nanospheres, nanotubes, thin films) with photocatalytic or magnetic properties are currently opening totally new horizons in nanomedicine (e.g. novel photodynamic therapies, a new class of contrast agents, magnetically guided drug delivery). We investigate shape and size dependent properties, we screen potentially efficient linkers for anchoring surfaces and binding biomolecules. We tether various kinds of biomolecules (from oligopeptides and oligonucleotides to small drugs) to the activated surface according to the desired functionality. The assembled bioinorganic systems may also be labeled with fluorescent markers and contrast agents.



COMPUTATIONAL ELECTROCHEMISTRY AND FUEL CELLS

We use electronic structure calculations to design novel electrode materials for electrochemical devices and fuel cells, which are as efficient as or even more capable than precious and environmental unfriendly metal electrodes. Gibbs free energies of reaction in an aqueous environment for the all the steps of reduction (at the cathode) or of oxidation (at the anode) are computed, for example, for the oxygen reduction reaction (ORR) or for methanol oxidation reaction (MOR), respectively. Details of the reaction mechanisms and accurate cell onset- or over-potentials can be derived from the Gibbs free energy diagrams. The latter are computational quantities that can be directly compared to experimentally obtained cell overpotentials.

CATALYSIS UNDER COVER (2D LAYERS)

The catalysis "under cover" is a recent and emerging field of research (see review article by X. Bao and co. in Nature Nanotech. 2016, 11, 218), focusing the attention on the chemical reactivity taking place in the confined zone between two interfacing materials. Typically, at least one of materials is 2D, e.g. graphene, h-BN or MoS2. A number of examples of enhanced reactivity have now been reported in the literature, where the chemical process is favored if taking place between the two exposed surfaces. Still very little is known on the mechanism of this special type of catalysis and on the true role played by the two surfaces. Is the space confinement effect a sufficient reason for the enhanced reaction rate or are surface atoms actually involved in the reaction steps? Are defects and impurities also active in the promotion of chemical reactions?

GRAPHENIC NANOSTRUCTURES FROM MOLECULAR PRECURSORS

Combining density functional theory calculations with scanning tunneling microscopy and X-ray spectroscopic techniques (from our experimental partners) we investigate novel approaches for surface-assisted preparation of graphene-based nanostructures (nanoribbons, nanobowls, etc) by means of Ullmann coupling polymerization and dehydrogenation reactions of polyaromatic molecules.



Crystal growth and characterization: study of polymorphism



Massimo Moret

Growth of crystals and their morphological and structural characterization is a mandatory step in many fields of science and technology. Present state of the art study of crystal growth is widespread and covers both natural (geology, biomineralization) and artificial systems (semiconductors, sensors, optics, lasers, drugs, plasters).

Growth of crystals involves complex physico-chemical processes whose study allows a better control and optimization of results. Among many phenomena, genesis of polymorphic crystal structures can hamper preparation of crystalline materials. Therefore, the study of thermodynamic and kinetic factors directing growth toward a specific polymorph is of great relevance in academic and applied research. Among the parameters triggering polymorphism are temperature or ambient pressure, impurities/additives active during the nucleation stage (including preformed crystals able to select polymorphs by epitaxy), conformational flexibility, isotopic substitution. All these variables can be exploited as powerful control parameters for reaching the final goal, instead of being a source of unpredictable and irreproducible results.

Research activities involve:

CRYSTAL GROWTH

Growth of crystals with solution methods under ambient or solvothermal conditions (e.g. microporous coordination polymers exhibiting zeolite-like behavior or catalitic properties, aminoacids) allows preparation of crystals with size from centimeter to nanometer scale with control of morphology. Crystal of organic materials with medium-high vapor pressure can be grown by sublimation or physical vapor transport.

GROWTH MECHANISMS

Study of surface processes during crystal growth in nature, laboratory or manifacturing plants (e.g. setting of cements/plasters in the presence of chemical additives) is directed toward aquisition of physico-chemical data ranging from the mesoscopic scale to molecular dimensions. Characterization of growing crystal surfaces is performed by means of optical microscopy or scanning probe microscopy in controlled environments. In situ visualization of growth with time evolution reveals microtopographic surface features connected to growth mechanisms. The microscopic characterization, possibly supported by single crystal X-ray diffraction analysis, can be integrated with theoretical modelling of crystal morphology through periodic bond chains analysis, where the strength of intermolecular interactions developing within the crystal structure can be exploited to estimate the theoretical equilibrium and growth crystal morphology.

MAIN FACILITIES

Single crystal X-ray diffractometer with temperature control from ca. 80 to 490 K

Termostatted crystallizers for crystal growth from solution, sublimation, vapor deposition

Metallographic and stereoscopic microscopes equipped with analizer/polarizer, DIC Nomarski prism, frame grabber for time lapse imaging, heating/freezing stage from 90 to 870 K.







Materials for electrochemical energy conversion: synthesis, ex-situ and operando characterization

Chiara Ferrara, Piercarlo Mustarelli MEMBRANES AND MEMBRANE-TO-ELECTRODE ASSEMBLIES (MEAS) FOR POLYMER FUEL CELLS

Polymer fuel cells operating al low temperature (< 100°C) are the systems-of-choice for energy conversion for automotive (buses, trucks, shuttles) and for grid applications. At present, the state of the art is represented by proton-conducting devices operating with Nafion[™] membranes. These fuel cells suffer of several problems, e.g. need of precious metal catalysts (e.g. platinum and platinum-group metals (PGM)), catalyst poisoning by CO at low temperature, membrane high cost. Alternative routes are offered by proton-conducting devices operating in the range 100-200°C, which based on membranes made by polybenzimidazole and related composite materials. This allows to reduce the membrane cost. Another intriguing possibility is to move towards anion (OH) conducting membranes, which allow substituting the PGM catalysts with other based on cheap elements (e.g. Fe). The research line aims at developing and characterizing both proton- and OH-conducting materials.

SOLID POLYMER AND COMPOSITE ELECTROLYTES FOR ENERGY STORAGE

At present, the market of electrochemical energy storage is dominated by lithium-ion rechargeable batteries. These batteries, however, have not enough energy density, and are not really safe because of the high volatility and flammability of the organic liquid electrolyte. The quest for higher energy density can be solved by substituting the graphite anode with a lithium metal one, originating the so-called lithium metal batteries (LMB). These batteries require a solid electrolyte able to block the formation of lithium dendrites which can cause short circuits and battery faults. The availability of solid electrolytes will also help to solve the present safety problems. This research line aims at developing solid electrolytes based on functional polymers, e.g. poly(ethylene oxide) (PEO), or on polymer-ceramic nanoarchitectures.

NMR/MRI OPERANDO CHARACTERIZATION

The functional characterization of materials involved in electrochemical interfaces, or even in complete devices, cannot prescind from their study under conditions as near as possible to real operation (operando conditions). This indeed requires the use of non-destructive characterization techniques, e.g. X-rays, electron microscopies, of spectroscopies like RAMAN or NMR. This research line aims at developing and applying advanced methodologies of NMR spectroscopy and micro-imaging (MRI) to the operando investigation of materials for batteries, supercapacitors and fuel cells.

MAIN FACILITIES

Solid-state 400 MHz NMR spectrometer with microimaging accessory

Test station for fuel cells

High-pressure/high-temperature autoclave for polymer synthesis

Test systems for batteries, frequency response analyzers, potentiostats/galvanostats (in cooperation with Riccardo Ruffo).





Theory of inorganic materials for energy and environment



Giovanni Di Liberto, Livia Giordano, Gianfranco Pacchioni, Sergio Tosoni

The understanding of the structure-properties relationship is of fundamental importance for the design of new materials. In our group various models are employed to study the electronic structure of inorganic and ceramic materials in combination with highly accurate quantum-mechanical techniques. Particularly important is the role of theory in the study of point defects, impurities in solids, doping in semiconductors, active sites or functional groups on surfaces, phenomena like atomic and molecular chemisorption, ultrathin films, supported clusters, light-matter interactions, and for the interpretation of various spectroscopies, IR and Raman, X-ray absorption and photoemission, EPR and NMR, optical transitions, STM etc.

OXIDE SURFACES AND 2D MATERIALS

Ultrathin oxide films and two-dimensional materials represent a new class of materials with unprecedented properties. Our activity is directed towards the determination of their electronic and structural properties: work function changes, regular arrays of adsorption and reactive sites, etc.

SINGLE ATOM CATALYSTS AND SUPPORTED CLUSTERS

We study the interaction of single atoms and metal clusters supported on oxides or carbon-based materals with particular attention to their activity in catalytic reactions (water splitting, CO2 reduction, production of solar fuels).

OXIDE SEMICONDUCTORS AND HETEROJUNCTIONS

Heterojunctions between semiconductors (notably oxides) are a class of materials attracting growing attention in the field of photocatalysis. This research line aims at the accurate description of the band alignment, charge transfer phenomena, quantum confinement, and charge carrier separation at the junction by means of state-of-the-art DFT calculations.

MATERIALS FOR BATTERIES

Efficient accumulators are important, among other things, to efficiently exploit renewable, but discontinous, energy sources. The simulation may assist in the design of new suitable materials, by describing the atomic and the electronic structures, and simulating the intercalation and mobility of metal cations and other charge carriers. Ongoing research lines span over various classes of layered and nanostructured materials.



MAIN FACILITIES

Total computing power of 960 AMD Opteron cores in local facilities.

Access to CINECA supercomputing centre facilities via an institutional account financed by the University as well as via peer-reviewed scientific proposals.






Materials for energy storage and energy saving (EES)



Riccardo Ruffo

Since the birth of the Department, the electrochemical group is active in fields of Energy Storage and Production, Gas Sensing, and characterization of Organic Molecular or Polymeric Materials. Group facilities comprise a fully equipped electrochemical lab with several potentiostats-galvanostats, multichannel systems for long time testing, 3 automatic glove boxes at N2 or Ar, a climatic chamber to control temperature and humidity, optical fibers coupled with UV-visible spectrophotometer for in-situ spectroelectrochemistry, and a quartz crystal electrochemical microbalance. Furnaces, thick/thin film applicators, and standard chemical equipments are available for chemical synthesis and electrode formulations.

MATERIALS FOR ENERGY STORAGE

This research line is devoted mainly to the investigation of electrode and electrolyte materials for Electrochemical energy storage devices, such as alkaline ion batteries, metal batteries, redox flow batteries and organic batteries. Materials are produced by our team or in collaboration with national and international research groups. The electrical and electrochemical characterizations carried out using standard techniques such as impedance spectroscopy, DC Hebb Wagner conductivity measurement, cyclic voltammetry, potential spectroscopy, galvanostatic cycling, are performed with the aim to investigate the correlation among structural, morphological features and functional properties.

Different kinds of prototypes can be assembled, from low energy coin cells to large, single layer pouch cells, as well as three electrode cells for single interface characterization.

MATERIAL FOR ORGANIC OPTOELECTRONICS

Since 15 years, the group collaborate with organic chemistries of the department to characterize dye molecules, tiophene and pyrrole based monomers, and poly-tiophene based polymers for electro-optic applications (solar cells and electrochromic devices). The systems are characterized respect to their electrochemical and spectroelectrochemical properties in solution or in solid state (as thin film). The electronic properties, the energy levels, and the electro-optical characteristic are correlated to the chemical structure and to the film morphology. Redox mechanisms in conducting polymers are also investigated.





Electrocatalysis and Bioelectrocatalysis LAB (EBLab)



Carlo Santoro

MISSION of the LAB: We want to contribute to the 2050 EU decarbonization goal with electrochemical systems. We do research and development of electrocatalysts for several electrochemical reactions based on platinum group metal-free materials pursuing biomimicking and bionspired approaches within the core of the circular economy. Research and development of bacterial and enzymatic bioelectrochemical systems from fundamental to application. Scale up of the electrochemical systems towards real-world applications. Systems of interest: fuel cells, electrolyzers, CO2 electrolyzers, nitrogen reduction electrolyzers, microbial fuel cells, microbial electrolysis cells, etc.

ELECTROCATALYSIS

Noble-containing and/or critical raw materials-containing electrocatalysts are used in diverse electrochemical applications for fuel production and energy conversion named water electrolyzers and fuel cells. The high cost and scarcity of these materials on the Earth crust hinder or severely limit their deployment for large scale commercialization of these electrochemical devices which are generally the base of the green energy revolution. Alternatives need to be pursued. We are replacing the costly platinum group metal (PGM) electrocatalysts with more affordable Earth abundant transition metals (PGM-free) achieving similar electrocatalytic activity using biomimicking and bionspired synthesis methods and approaches and when possible also valorizing waste (e.g. waste biomass and plastic) as precursors during synthetic processes within the core of the circular economy. We are currently synthesizing PGM-free electrocatalysts for reaction such as Oxygen Reduction Reaction (ORR), Hydrogen Evolution Reaction (HER), Hydrogen Oxidation Reaction (HOR), Alcohol Oxidation Reaction (AOR), Oxygen Evolution Reaction (OER). Other reactions of interest within the decarbonization are also CO2 electroreduction (CO2ER) and Nitrogen Reduction Reaction (NRR).

BIOELECTROCATALYSIS

Microbial Electrochemical and Enzymatic Electrochemical technologies have captured the attention of the scientific community for the possibility of: i) Biosensing of molecules using microorganisms or enzymes; ii) degrading pollutants and organic molecules; iii) producing and storing energy using microbial or enzymatic electrochemical systems (including microbial fuel cells, enzymatic fuel cells, biosupercapacitors and biobatteries); iii) performing electrosynthesis and transformation of waste into valuable products. In our lab, joint with Prof. Franzetti @DISAT, we synthesize carbonaceous materials (biochar) starting from waste biomass and plastics and we functionalize it as anode materials or as cathode PGM-free electrocatalysts for the oxygen reduction reaction (ORR) and the hydrogen evolution reaction (HER). The main application is microbial electrochemical technology for power production, hydrogen evolution, organic removal and soil remediation. ORR and HER occurring on the electrocatalysts based on carbonaceous, platinum-group metal and platinum-group-metal-free materials are evaluated.

MAIN FACILITIES

Powerful and durable planetary ball mills for sample preparation of solids. Ball Milling E-max

Rotating Ring Disk Electrode and Bipotentiostat Pine for the electrochemical characterization of electrocatalysts

Horizontal split Furnace for performing pyrolysis processes at controlled temperature and atmosphere









First principles simulations of materials for microelectronics



Giorgio Benedek, Marco Bernasconi, Davide Campi

PHASE CHANGE MATERIALS FOR DATA STORAGE

Phase change materials (Ge2Sb2Te5 and related telluride alloys) are attracting an increasing interest worldwide for applications in optical disks (DVDs) and in a novel non volatile electronic memory, the phase change memory cell. Both applications rely on a fast (10-100 ns) and reversible transformation between the crystalline and amorphous phases induced by heating. The two states of the memory can be discriminated thanks to the large contrast in electronic conductivity and optical reflectivity between the two phases.

On the basis of density functional molecular dynamics simulations, we investigate the structural, dynamical and electronic properties of the amorphous and crystalline phases of materials in this class aiming at establishing correlations between the composition of the alloy and the electronic and optical functional properties exploited in the devices. The models of amorphous phases (300-500 atoms) are generated by quenching from the melt within ab-initio molecular dynamics simulations.

Large scale molecular dynamics simulations are also performed by means of interatomic potentials generated by fitting a large DFT database with Neural Network methods. The Neural Network potential allows simulating several thousand atoms for tens of ns to study thermal transport at the nanoscale, the microscopic mechanisms responsible for the fast crystallization and the properties of nanowires.

SURFACE PHONONS AND TOPOLOGICAL INSULATORS

Some chalcogenide compounds of interest for phase change applications belong to the class of topological insulators, i.e. they are bulk insulators with a non trivial topology of the electronic bands which induces the formation of topologically protected metallic electronic bands at the surface. On the basis of density functional perturbation theory, we study the surface phonons and the electron-phonon interaction of materials in this class also by comparing the theoretical results with measurements from He-atom scattering from various experimental groups in Europe we collaborate with. Acoustic surface plasmons (spin-plasmons for Ni(111)) and their interaction with surface phonons of interest for THz plasmonics are investigated as well.







Optical spectroscopy of semiconductors





Emiliano Bonera, Fabio Pezzoli, Jacopo Pedrini

Our research is mainly devoted to the experimental study of the optical properties of both **group IV** and **group III-V semiconductors** and **quantum structures** of interest for **micro-and opto-electronics**. Most of our research is carried out in within the L-NESS interuniversity Centre.

SiGe HETEROSTRUCTURES

SiGeSn alloys are of fundamental and applicative interest due to their structural, chemical and electronic characteristics, for applications in **photonics, spintronics and quantum technologies**.

- Using Raman and photoluminescence we study the correlations between growth conditions and system properties. We analyse the effects of strain, composition and dimensionality on the vibrational and electronic properties of the heterostructures.
- The vibrational properties of SiGeSn nanostructures, mainly quantum dots, are currently under study by micro-Raman measurements.
- The electronic properties of Ge-based quantum wells are studied by transmission and photoluminescence measurements in a wide temperature range.
- Spin-dependent phenomena are investigated in Sn-based materials through magnetooptical investigations.
- The emergence of topological phase transitions is addressed in Sn-rich heterostructures through light-matter interaction.

SEMICONDUCTOR QUANTUM NANOSTRUCTURES

Amongst the nanoscience advancements, relevant place is taken by **quantum confinement effects** that take place in semiconductor **quantum dots** (QDs). Like the natural atoms QDs show discrete energy levels. Laser, infrared photodetectors, as well as third generation photovoltaic cells show can be improved by the use of QDs in the active layer. The study of QD-based devices has provided new ways for the understanding of strongly correlated few electrons/excitons systems and their possible applications, such as single-electron devices and single photon emitters for **quantum cryptography** and computation.

- We study the nanostructure properties via spectroscopic measurements addressing electronic structure and carrier relaxation mechanisms;
- We study the implementation of the QD devices on Si photonics.

FACILITIES

Spectroscopic apparatuses based on dispersive and FT spectrometers are used for photoluminescence, photoluminescence excitation, transmission and Raman measurements in the 0.4 - 5.0 eV spectral range. Raman spectroscopy can be operated down to 5 cm⁻¹. Working temperatures: 2 K to 450 K. Sources: He-Ne, Ar, doubled-Ar, Ti-Sapphire, DPSS and Diode lasers, incandescent and high-pressure lamps. A low temperature (4 K – 300 K) micro-photoluminescence and micro-Raman apparatus working in the 0.75 – 3.4 eV spectral range is available. Time resolved photoluminescence and photoluminescence decay down to 10^{-8} s can be measured with DPSS-QS lasers.





Advanced spectroscopy of functional nanomaterials





LUMINESCENT SOLAR CONCENTRATORS (LSCS)

Luminescent solar concentrators (LSCs) are cost-effective complements to semiconductor photovoltaic (PV) systems that can both boost the power output of standalone solar cells and allow for integration of PV-active architectural elements into buildings in the form of, for example, semi-transparent PV windows. A typical LSC consists of a plastic optical waveguide doped with fluorophores or glass slabs coated with active layers of emissive materials. Sunlight, which penetrates the matrix, is absorbed by the fluorophores and then re-emitted at a longer wavelength. The luminescence, guided by total internal reflection, propagates towards a PV cell placed at the edge of the waveguide where it is converted into electricity. Our research team has a dedicated effort for the development of new emitters for efficient large-area LSC devices that require fluorophores with near unity emission efficiencies, broad coverage of the solar spectrum and minimized overlap between the absorption and emission spectra, so as to suppress the optical losses by re-absorption. Furthermore, an important aspect of our research is focused on advanced strategies for the incorporation of emitters into polymeric matrixes for producing polymeric nanocomposites that preserve the optical features of the fluorophore intact.

NON-COHERENT PHOTONS UP-CONVERSION

The most recent advancements in photovoltaic and hydrogen photogeneration technologies require the adaptation of the solar spectrum to the device spectral response through photon management processes, rather than the tuning of the latter to match the solar spectrum. In this framework, conventional non-linear optics approaches are not applicable as they typically require excitation densities several orders of magnitude larger than the solar radiance. Our research is focused on the development of multicomponent organic systems that exploit annihilation processes of metastable states and thereby allow for the achievement of high up-conversion efficiencies at excitation densities as low as a few μ W/cm². In our research we tackle both fundamental and applicative aspects aimed at the development of real-world devices. Our results have a significant impact both on photovoltaic technologies and on solid state lighting and imaging applications.

ADVANCED SPECTROSCOPY OF COLLOIDAL NANOCRYSTALS

Colloidal semiconductor nanocrystals (NCs) are solution-processable functional materials with growing applicative potential in strategic technological fields, such as light-emitting diodes, photovoltaic cells, lasers, luminescent markers and single photon sources. They feature high, near-unity emission efficiency, large absorption cross-sections and a tuneable emission wavelength controlled by the NC size. Wavefunction engineering in NC heterostructures and doping with transition metal ions provide additional degrees of freedom for controlling the optical and electrical properties of NCs. Our research is focused on fundamental and applied aspects of NC photophysics by means of ultrafast magneto-optics and spectroelectrochemical methods aimed at achieving advanced NC systems for application in solid-state light emitting sources, luminescent solar concentrators and NC solar cells.











Materials and spectroscopies for nanoelectronics and spintronics (MSNS Laboratory)



Marco Fanciulli, Fabrizio Moro

Our research is mainly devoted to the experimental investigation of semiconductors, oxides, and their interfaces, silicon and germanium nanostructures, MoS2, and magnetic thin films for advanced and innovative nanoelectronic, spintronic, and neuroelectronic devices. The research activity is carried out in strong collaboration with the CNR-IMM-MDM, leading European research institutions, and semiconductor industries, Micron and ST.

POINT DEFECTS IN SEMICONDUCTORS AND OXIDES AND AT THEIR INTERFACES

Study of the electronic properties of point defects in semiconductors (Si, Ge) and in high dielectric constant materials (transition metal oxides) and at their interfaces. Applications in quantum and unconventional computing (collaboration with Wilfred G. van der Wiel, UTwente).

Si NANOWIRES

The electronic and spintronic properties of Silicon nanowires produced by metal-assisted chemical etching (MACE) (collaboration with M. Belli, CNR-IMM) are investigated using mainly spin dependent transport techniques aiming at the characterization of shallow donors.

QUANTUM DOTS

The study of QD-based devices (colloidal nanoparticles of PbS, CdSe, CdS, Au) is carried out using charge and spin transport aiming at the understanding of strongly correlated few electrons/excitons systems and their possible applications, such as reservoir computing and quantum computing.



TMDC (MOS₂, WS₂) AND MAGNETIC THIN FILMS

TMDC are grown with a novel patented method and their properties characterized with Raman spectroscopy (Collaboration with E. Bonera) and electrical measurements. Magnetic thin films deposited at CNR-MDM for spintronics are characterized with broad band FMR. (Collaboration with R. Mantovan and M. Belli, CNR-IMM).

MICROELECTRODES FOR NEUROLECTRONICS

Within the Neureka EU project (www.neureka.gr) deposition by ALD and characterization by impedance spectroscopy and noise of novel materials and structures for neuron stimulation and recording.

FACILITIES

Growth and processing: Atomic Layer Deposition (ALD) mini-chamber with O₃ line for *in-situ* characterization; horizontal and vertical furnaces; Q-switched Ruby laser for laser annealing

Characterization: Three CW X-band systems for electron spin resonance (ESR), electrically detected spin resonance (EDMR), and electron nuclear double resonance (ENDOR). Variable temperature measurements (4-600 K); Multi-frequency (0.1-40 GHz) EDMR and ferromagnetic resonance (FMR); Inelastic electron tunneling spectroscopy (IETS) and deep level transient spectroscopy (DLTS) working in the temperature range 4-300 K. Everbeing probe station. Keithley 4200 for I-V, C-V. Impedance Analyzer (1mHz-5MHz), Zurich Instruments MFIA. Impedance and Noise.

47





Luminescent materials for optical technology and ionizing radiation detection



Mauro Fasoli, Roberto Lorenzi, Alberto Paleari, Anna Vedda

Our research is focused on the physical properties of luminescent materials for applications in photonics, optolectronics and ionizing radiation detection. Bulk and film materials are synthesized and investigated looking at the particular optical properties one can obtain and control by doping with active ions and crystalline nano-phases. Fundamental aspects of the study regard the spectroscopy of rare earth ions, point defects, and wide-energy-gap nanostructures in optical hosts. Synthesis techniques have also been optimized to obtain good dispersion of active ions and crystalline nano-clusters in glass-based materials.

MATERIALS FOR OPTICAL TECHNOLOGY



We investigate the light-emission and non-linear optical properties of wide-band-gap oxide nanostructures in glasses, such as Ga2O3 and SnO2 nanocrystals in silicates, analysing the applicability as light-emitting systems, photosensitive optical materials, cubic non-linear components, and transparent conductors. Doped silica glass and glass-ceramics are technologically interesting for their signal amplification properties in the telecom windows, nonlinear and light-emission properties induced by dopants and crystalline nano-phases, and good optical transmission and compatibility with existent glassy-silica based devices.

LUMINESCENT MATERIALS FOR IONIZING RADIATION DETECTION

Investigation of the optical properties of a broad range of luminescent materials for ionizing radiation detection (glasses, single crystals, ceramics, nano-composites). We study the luminescence mechanisms, the interaction between the luminescence centres (e.g. rare earth ions) and the host matrix, and the role of point defects on the scintillation performances. The aim of the research is the production and optimization of materials suitable for industrial and medical applications, high-energy physics, dosimetry, etc.

FACILITIES

SPECTROSCOPY LABORATORY. Optical absorption, photo- thermo- and radio-luminescence spectroscopy, micro-Raman scattering, refractive index and film thickness measurements, thermostimulated currents and complex impedance spectroscopy. Micro-ATR-FTIR analysis, micro-profilometry, pulsed luminescence spectroscopy and SHG by Nd-YAG laser with second and fourth harmonics.



SYNTHESIS LABORATORY. Inorganic chemistry laboratory for sol-gel preparations in controlled conditions, comprising hoods and dry-boxes for the synthesis of bulk samples and films. Film deposition by spin-coating. Samples from aerogel can also be obtained by hypercritical drying process. Furnaces for densification processes in controlled temperature and atmosphere, as well as instrumentation for optical finishing.





Modeling and simulations of semiconductor heteroepitaxy









Integration of materials with superior optical and/or electronic properties on Si is extremely appealing as it leads to a wealth of new possible devices and applications while maintaining mainstream silicon technology. Examples include Ge, SiGe, GeSn, SiC, and GaAs. Heteroepitaxial growth of such materials results from the competition between several different phenomena, mostly related to lattice mismatch (causing misfit stress accumulation), to differences in thermal-expansion coefficients (leading to thermal stress), and to kinetic constraints (out-of- equilibrium growth). It is particularly critical for various applications to control the morphology of the growing material (faceting, preferential growth directions, etc.) and the distribution of defects (dislocations, stacking faults, etc.), especially when the 3D growth on patterned substrate is approached.

As the growth conditions pertain to a multi-dimensional space, too complex to be sampled by simple trial and error procedures, simulations and modelling can be extremely helpful in driving experiments. Our group provides such theoretical/computational support, aiming at suggesting to experimental colleagues ideal growth conditions for the desired application. As problems related to heteroepitaxy are often multi-scale, we use different, synergic approaches, ranging from atomistic to continuum simulations. These include ab initio calculations (exploited to evaluate surface energies, diffusion constants, defect formation energy, etc.), classical molecular dynamics (defect motion, dislocations gliding/partialization etc.), 3D dislocation dynamics, growth simulations based on phase-field methods, and elasticity theory solved by Finite Element Methods. Our attention is devoted to a wide class of qualitatively different systems such as semiconductor thin films, quantum dots, nanowires, vertical membranes, and micrometric crystals on deeply patterned substrates.

Our connection with experiments and applications is extremely tight: we work in very close collaboration with several international academic and industrial groups. Our research is financed by industrial contracts (SILTRONIC AG, Germany), EU Horizon 2020 projects (CHALLENGE Industrial Leadership project, devoted to improve the quality of heteroepitaxial SiC/Si; µ-Spire FET project, aiming at the development of a new technological platform for single-photon avalanche detectors), and regional projects (TEINVEIN - TEcnologie INnovative per i VEicoli Intelligenti, funded by Regione Lombardia, where we investigate novel infrared detectors).







Fabrication and study of semiconductor quantum nanostructures (EpiLab)

Stefano Cecchi, Stefano Sanguinetti



The research activity is aimed at the development of epitaxial semiconductor quantum nanostructures for applications in quantum photonics, quantum optoelectronics and electrochemistry

EpiLab is part of L-NESS Inter-University Laboratory (Epitaxial Nanostructures Laboratory of Semiconductors and Spintronics) in collaboration with the Politecnico di Milano and Joint QUCAT Laboratory (Quantum Nanostructure Photo-Catalysis) with the South China Normal University (SCNU) in Guanzhou (China).

QUANTUM DOT EMITTERS FOR QUANTUM PHOTONICS APPLICATIONS

Fabrication of semiconductor and semiconductor quantum dots with shape and strain control for quantum photonics applications (quantum teleportation, quantum cryptography etc.).



NANOSTRUCTURED SEMICONDUCTORS FOR OPTOELECTRONICS

Development of monolithic integration processes of compound semiconductor materials on silicon substrates using non-equilibrium growth techniques for imaging and optoelectronics applications. Development of devices, through electronic design, band engineering and quantum design for thermal infrared imaging (Quantum Dot Infrared Photodetectors) for space applications (Earth Observation).

QUANTUM FUNCTIONAL MATERIALS FOR PHOTO-ELECTROCHEMICAL APPLICATIONS

Growth and characterization of nanostructured InN/InGaN materials for photocatalytic electrodes for applications in biochemical sensors and hydrogen solar generation.

FUNDAMENTAL STUDY OF EPITAXIAL GROWTH OF SEMICONDUCTORS

Study of the theoretical-experimental fundamentals of epitaxial growth of semiconductors: kinetic growth control, nanostructuring, droplet epitaxy.

FACILITIES

Two Molecular Beam Epitaxy deposition chambers (MBE) for Arsenic and Nitrogen based semiconductors

Atomic Force Microscope (AFM)

Clean Room equipped for the fabrication of electronic devices







Organic molecular films and heterostructures





Alessandro Minotto, Adele Sassella

THIN FILM GROWTH

Films of organic molecular semiconductors are grown by organic molecular beam epitaxy (OMBE) under different conditions, such as pressure, substrate type and temperature, absence or presence of external fields. The study of the OMBE growth process itself is carried out by detecting in situ and in real time the properties of the growing samples. The main interest of the group rests in the intrinsic properties of the molecular materials in the solid state, in particular in the form of thin layers of high crystalline quality, suitable for device applications. Several molecules, such as oligothiophenes, oligocenes, acridines, and porphyrines are studied. The main technique applied in-situ is reflectance anisotropy spectroscopy (RAS), which gives insight on the evolution of the electronic properties of the films during growth, as well as the properties of the final sample. The morphology and structural properties of the samples, closely related to the growth mode, are then studied ex-situ, mainly by atomic force microscopy; finally, the optical properties of the molecular films are studied in comparison with the single crystal properties. In the frame of well-established collaborations, the structure of the thin films is checked by X-ray diffraction and, for some materials, the transport properties determined. For selected samples, prototypical devices are also fabricated to check the possible application of the newly grown materials.

HETEROSTRUCTURES

Heterostructures and nanostructures of organic molecular materials interesting for their solid-state properties are also among the interests of the group. They are grown by OMBE and studied, in view of the understanding of their properties as a result of properly tuned growth protocols. Films of different molecules on high quality single crystal substrate, made of the same or similar molecular organic compounds, permit studying the conditions for epitaxy, therefore the fabrication of artificial structures with high quality interfaces and controlled properties. Few nm-thick films are also stacked in multilayers on different inorganic and organic substrates. The morphology and structure of each layer, the interface quality, and the electronic states of the whole structure are studied by scanning probe microscopies and by optical techniques.

FACILITIES

The OMBE apparatus consists of high vacuum and ultra-high vacuum chambers where up to six sources can be installed for depositing different compounds; during OMBE growth, the film thickness is monitored in-situ by a quartz microbalance and its optical behaviour by RAS. Optical spectroscopies, such as absorption, reflection, photoluminescence and ellipsometry, are used for the study of thin films and multilayers ex-situ, also in comparison with the properties detected in-situ by RAS. Optical measurements can be carried out as a function of temperature, down to few K, under polarized light and at different incidence angles. Atomic force microscopy is used ex-situ for the morphology characterization of all the samples and for the study of the film growth process; morphology is usually checked over several μm^2 wide regions, while on crystalline samples molecular resolution is also achievable.





Laboratory of Ultrafast Microscopy for Nanoscale Dynamics (LUMiNaD)



Giovanni Maria Vanacore

EXPLORING ULTRAFAST PHENOMENA IN THE NANO-WORLD

Our research activity is dedicated to the investigation of ultrafast phenomena in nanoscale low-dimensional materials. In particular, we focus on semiconductor quantum dots, nanowires, graphene and 2D van-der-Waals solids, nano-plasmonic structures, energy-related materials, topological insulators and molecular systems. Our ultimate goal is the ability to finely control their unique electronic and structural properties by optically manipulating the subtle balance and correlation between the relevant degrees of freedom (electronic, spin, orbital and lattice). Because such intricate coupling gives rise to a multi-dimensional phase space, a complete understanding of the physical behaviour of such systems can only be achieved when simultaneously capturing their coherent dynamics at the proper temporal and spatial scales.

ULTRAFAST ELECTRON MICROSCOPY

Our method consists in monitoring the spatio-temporal behaviour of a specific quantum system using ultrashort electron pulses following a spectrally- and spatially-resolved impulsive photonic excitation. This approach is based on an Ultrafast Electron Microscope, as initially pioneered by Nobel Laurate Ahmed H. Zewail, where a femtosecond laser is coupled to a transmission electron microscope (TEM). Such setup would provide unprecedented simultaneous spatial and temporal resolutions (10 orders of magnitude better than a standard TEM). It would be the first setup of its kind in Italy, and one of the few in the entire world.

CROSS-SCALE APPROACH TO MATERIALS DYNAMICS

Because of the versatility of our cross-scale approach, which combines real-space (imaging), reciprocalspace (diffraction) and spectroscopic tools with high temporal sensitivity, the Ultrafast Electron Microscope at LUMiNaD will provide the unique capability of observing many fundamental phenomena, such as: i) the coherent dynamics of both collective and quasi-particle excitations, ii) electronic/structural correlations under non-equilibrium conditions, iii) real-time motion of nano-objects and extended defects in solids, iv) the role of chirality in the dynamics of topological quantum states, and v) the electron/light/matter quantum interaction at sub-wavelength scales







Materials science and cultural heritage (Lambda Lab)



Anna Galli, Marco Martini

THE ARCHAEOMETRY LAB

Since 1980 our activity has been focusing on the application of scientific techniques to archaeology, geology and cultural heritage, in particular in the field of absolute dating and characterization of archaeological materials.

Thermoluminescence (TL) and optically stimulated luminescence (OSL) are used to determine the event of ceramics firing and sediment deposition respectively. Other available techniques are dendrochronology and radiocarbon. Recently, we started investigating the new Rehydroxylation (RHX) dating technique, based on the water gain of pottery after firing in kiln.

Our research also deals with non-invasive spectroscopic methods, mainly performed using portable instruments, to study polychrome artefacts of various kind (paintings on boards, enamels, decorated ceramics, metal artifacts ...).

The laboratory is member of CUDAM (Centro Universitario Datazioni e Archeometria, Università di Milano Bicocca) and of BIPAC, Centro Ricerche per il Patrimonio Storico, Artistico e Culturale.

The laboratory is associate member of EURADOS (European Radiation Dosimetry Group, Working Group 10), of MODIS (Mortar Dating Intercomparison Study) and of the RHX International Research group to validate and study the rehydroxylation dating technique.

Since 2012 the laboratory is a first level hub in the CH_NET E-RIHS Italian cultural heritage network.

RESEARCH LINES

Fundamental studies of the low temperature TL peaks in quartz and of the Pre-dose effect

Optical properties of mosaic glasses

Charge transfer phenomena in quartz and feldspars luminescence.

New procedures for the extraction of collagen for 14C dating

New procedures for identifying and selecting the anthropogenic calcite in archaeological mortars.

TL and OSL dating of mortars, Surface dating

Study and characterization of natural materials for accident dosimetry

Rehydroxylation (RHX) dating of archaeological pottery

Joined use of non-invasive methods (EDXRF, FORS, Raman) for the characterization of Renaissance pigments.

Development of portable systems for in situ XRF analysis







Optics and Optometry



Alessandro Borghesi, Silvia Tavazzi, Fabrizio Zeri

The main research activities concern optics, optometry, contact lens fitting, materials science, optical systems, optics and spectroscopy for application in ophthalmic instrumentation.

Adaptation to these assessment, in-vitro characterization of the coefficient of friction MATERIALS FO Recent studies were structure and uptak uptake was studied



Current research projects are focused on progressive addition lenses and multifocal lenses, including brain adaptation to these devices, myopia progression, development of optometric tests, in-vivo tear film assessment, in-vitro tear proteomic analysis, vibrational spectroscopy applied to tear analyses, characterization of materials such as polymeric contact lenses (surface morphology, wettability, tribology, coefficient of friction, ...).

MATERIALS FOR CONTACT LENSES

Recent studies were focused on the properties of materials for soft contact lenses in terms of microscopic structure and uptake/release of hyaluronan, lactoferrin, and drugs. Different materials were investigated. The uptake was studied in terms of loading capability, penetration depth in the lens, release profile as a function of time. The properties of the lenses were also characterized after wear. In some cases, a completely different scenario was observed compared to the unworn lenses, with the appearance of regions of swelling, depending on the type of material, attributable to the progressive relaxation of the polymeric network. Since the eyelid pressure is expected to be one of the factors causing material modifications, a study was focused on the pressure effects on the lenses. In siloxane-hydrogel materials, the mechano-synthesis of hydrogen peroxide was observed and attributed to the cleavage of siloxane bonds at the water/polymer interface.

OPTICAL SYSTEMS

A method was recently developed, which allows the acquisition under a slit-lamp bio-microscope of images of the corneal endothelium cells, which can be automatically recognized by a new procedure of morphometric analysis. The method provides data of the investigated endothelium area, the cell density, the frequency distribution histograms of cell area and shape. Cell density and morphology are clinical information of interest before and after corneal refractive surgery or implantation of intraocular lenses, for quality evaluation of donor corneal tissue in eye banks, before and after cornea transplantation, etc.



FACILITIES

The main facilities are UV-visible-NIR spectrophotometry, refractometry, spectroscopic ellipsometry, instrumentation for photoluminescence and illuminance analyses, fluorescence and polarized optical microscopy, instrumentation for visual analyses, such as phoropters, slit lamps, non-mydriatic retinal camera with fundus autofluorescence, non-contact tonometer/pachymeter, corneal topographer, ocular aberrometer, keratometers, ophthalmoscopes, retinoscopes, etc.





Functional dyes and pigments for photonics, electronics and optoelectronics



Luca Beverina, Mauro Sassi, Sara Mattiello

The main goal of our research is the development of efficient and sustainable organic semiconductors for printed optoelectronics and related applications. In the last 20 years the community of researchers devoted to the development of such materials established reliable structure property characteristics providing guidelines to the development of performing active materials for a wide platform of devices. OLEDs, OFETs, OPVs, LEECs and biosensors are amongst the most representative examples.

We have been contributing to such activities, profiting from our expertise in the field of heteroaromatic chemistry and in the development of high performances pigments and dyes.

Recently, the organic semiconductor community started to face the Lab to Fab transition, thus realizing that performances are a necessary but not sufficient condition for successful technological transfer. Stability, reliability and sustainability of the production processes are at least as important as the absolute performance.

We are actively working with partners from Italian and foreign institutions on the development of strategies mutuated from the formulation chemistry approach to develop inks of performing organic semiconductors – polymeric and molecular – whose preparation and handling mainly rely on the use of water and alcohols as reaction media and processing solvents. While gearing up for such an endeavor, we complemented our background in synthetic organic chemistry with a solid knowledge of formulation chemistry.

We routinely collaborate with large companies as well as PMI on both printed optoelectronics and formulation chemistry.



DEVICES DEVELOPED ON COLLABORATION WITH COMPANIES AND RESEARCH INSTITUTIONS

OLEDs, OFETs, EGOFETs, OPVs, fluorescent molecular probes for bioimaging, electrochromic devices, luminescent solar collectors

FACILITIES

Fully equipped organic chemistry lab, capable of scaling up of relatively complex materials up to the 100 g scale. Full chemical characterization (identity and purity).





୭

Silvia Bracco, Piero Sozzani

Generation of nanospaces for

polymerization and gas capture

The preparation and characterization of novel nanostructured materials showing permanent porosity or including polymers in supramolecular architectures are the main target of our research group. The effort for designing suitable nanospaces and optimizing extended interfaces enabled the fabrication of materials containing gases and polymers endowed with unusual properties and controlled morphologies. The link between structure and properties is provided by a detailed characterization by magic angle spinning nuclear magnetic resonance (MAS NMR) and wide-line NMR. Laboratories for synthesis and NMR spectroscopy, dedicated to the preparation and the characterization of solid materials, are available.

CURRENT RESEARCH PROJECTS

The current research topics are dedicated to the general themes of confinement of gases and macromolecules to galleries and nanochannels of various cross-sections (0.5 up to 4.5 nm). Nanoporous materials are synthesized and exploited for this sake, realizing absorption of gases and polymerization in the confined state.

The matrices encompass molecular crystals (including dipeptides), metal organic frameworks (MOFs), hybrid mesoporous structures, hyper-crosslinked polymers and porous organic frameworks. The matrices, showing extended interactive areas (1000 - 5000 m2/g), form intimate host-guest adducts, realizing extraordinarily robust organic materials and solids containing molecular-rotors, whose dynamics is regulated by species diffusing-in.

The study of reactivity and interactions of the guests included in nanometric vessels and supramolecular architectures encompasses also morphological replicas by polymerization and thermal transformation of included polymers to conjugated polymers or carbon nanofibers. Diffusion processes of gases into the porous materials and the direct detection of gases diffusing into solids is performed by MAS and hyperpolarized NMR (129Xe, CO2, CH4 and H2).

FACILITIES

NMR Bruker Avance_300 MHz spectrometer with wide bore magnet operating at 7.05 T and dedicated to the solid state, fully equipped for high power output, 7 kHz and 15 kHz magic angle spinning probes and several heads for wide-line spectroscopy, including deuterium.

NMR Bruker Avance III_600 MHz spectrometer equipped with cryoprobe, with HR MAS and 35 kHz spinning-speed CP-MAS probes.

High vacuum (10⁻⁹ torr) pump and equipment for hyperpolarized Xenon spectroscopy (laser-excited NMR). Gas-Vapor Adsorption Analyzers, Differential Scanning Calorimetry, Gel Permeation Cromatography, Dynamic Mechanical Analyzer.





ଡ଼

Organic functionalized materials for optoelectronic applications and thermally and photochemically activate organic systems with cross-linking potentials



Antonio Papagni

The current research interests are focused both in the field of functional organic materials and in developing thermally and photochemically generated reactive species with a potential application in cross-linking of polymers and biomacromolecules.

ORGANIC SEMICONDUCTORS

The first line involves the planning and synthesis of new organic molecular and or polymeric organic semiconductors as active components in different type of devices such as, for example, Field Effect Transistors (OFETs), Light Emitting Diodes (OLEDs) Photovoltaics cells (OPVs) and organic-based water photosplitting systems. Within this field, recently the interest has been focused on organic heterocycle-based n-semiconductors as tetracene based p-type ones.

- p-TYPE SEMICONDUCTORS. Strategies for the preparation of p-type semiconductors such as oligothiophenes and tetracenes, starting from the suitable commercially available or on purpose prepared precursors, are planned and realized. Polymeric semiconductors, including Donor-Acceptor ones, are prepared by cross-coupling reaction using transition metal catalysts (Still and Suzuki protocols) from suitable electron-rich and electro-deficient monomers.
- n-TYPE SEMICONDUCTORS. The introduction of fluorine atoms into aromatic and heteroaromatic systems is the strategy used for preparing n-type semiconductors such as polyfluoroacridine and polyfluorophenazines and polymers containing these units. The starting polyfluorinated-acridines and phenazine are accessible from commercially available polyfluorinated anilines and ketones. It is noteworthy that perfluorinated phenazines show very low HOMOs and LUMOs and, for these properties, proposed in photooxidation processes of water. Parallel to these research activities, the synthesis of bromo containing polycyclic aromatic are prepared for conducting thermally activated Ullmann-like cross coupling reaction onto the surface of Cu, Ag and Au crystals. These processes will allow to realize graphenic structures on the surface of these crystals.

CROSS-LINKING SYSTEMS

The second research line is addressed to synthesize molecules or to develop new organic systemsable to produce, thermally and photochemically, highly reactive species (carbenes and nitrilimines).

These species are involved in cross-linking processes of protein-base biomolecules or polymeric materials.





Synthesis and characterization of novel polymeric nanostructures





Michele Mauri, Roberto Simonutti

Nanostructured polymer materials have attracted growing interest due to their applicability in many different areas: from microelectronics to photonics, from catalysis to water purification, from biomedical to military applications. Among many different strategies used for preparing polymeric nanostructures, we focus our research on self-organization of block copolymers and dispersion of inorganic nanoparticles in polymer matrices.

NEW MATERIALS BASED ON BLOCK COPOLYMERS

Block copolymers are constituted by two or three different types of polymer chains connected at the ends with a covalent bond. They display self-organization on the nanometre scale modulated by the external environment. For example, the interaction between block copolymer and solvent produces a diversity of self assembled shapes, including vescicles, spheres, cylinders, that can be tuned by concentration, solvent polarity, temperature and other external stimuli. The morphology in the solid state can also be very complex and is finely tuned by the conditions and the method of solid formation (melt cooling, casting from solvent).

Recently, by implementing advanced polymerization techniques like RAFT (Reversible Addition-Fragmentation chain Transfer polymerization) we synthesized several samples of highly controlled amphiphilic block copolymers. Our interest is currently focused on innovative techniques for their characterization in liquid and solid state, as well as the almost unexplored intermediate soft matter states: highly concentrated solutions, gels and sponge-like materials.

NANOPARTICLE POLYMER NANOCOMPOSITES

The mixing of polymers and inorganic nanoparticles, like oxides, semiconductors (usually defined as quantum dots) or noble metals, is opening pathways for engineering flexible composites that exhibit advantageous electrical, optical, or mechanical properties. In particular, the nanocomposite optical characteristics, as the refractive index, absorption of UV light, birefringence or scattering properties, can be modulated by carefully choosing the particle size and electronic structure of the nanoparticle used for its preparation.

Our research is now directed to the use of oxide nanoparticles with all the dimensions less than 100 nm. A key point of the experimental activity is the surface modification of the nanoparticles by a capping agent in order to increase the stability of the colloidal dispersion.

Nanocomposite molecular structure, morphology and mechanical properties are characterized by a comprehensive suite of advanced techniques, (among others: FTIR, TGA, NMR, DLS, AFM). The measurement of optical properties (absorption, transmission, angular scattering) of nanocomposite monolithic objects is done in collaboration with the University of Insubria.

Another possible application of these nanocomposites is in the conservation of cultural heritage, as protective layer that can protect the painting surface from UV radiation, preserving the aesthetics.



FUNDED PROJECTS

Project/Research Contract Title	Funded by	Principal Investigator
4PHOTON-Novel Quantum Emitters monolithically grown on Si, Ge and III-V substrates	EU	S. Sanguinetti
Ab initio simulation of chalcogenide materials	Micron Semiconductor Italia	M. Bernasconi
Advanced Simulation Design of Nanostructured Thermoelectric Materials with Enhanced Power Factors (NanoThermMA)	EU	D. Narducci
Analisi optometriche tramite dispositivi a barriera di parallasse	DMD Computers, Italia	S. Tavazzi
Batteries Europe Secretariat (BEST)	Horizon Europe	P. Mustarelli
BeforeHand-Boosting Performance of Phase Change Devices by Hetero- and Nano-Structure Material Design	EU	M. Bernasconi
BEST- 4U - Tecnologia per celle solari bifacciali ad alta Efficienza a 4 terminali per 'utility scale'	MUR	S. Binetti
BIOINOHYB-Smart Bioinorganic Hybrids for Nanomedicine (ERC GRANT)	EU	C. Di Valentin
Booster - Boosting sustainability in organic electronics: the key role of functional surfactants as reaction media and dispersing agents	MUR	L. Beverina
Cascade deoxygenation process using tailored nanocatalysts for the production of biofuels from lignocellulosic biomass	EU	G. Pacchioni
CATSENSE	EU	G. Pacchioni
CHALLENGE: 3C-SiCHetero-epitaxiALLy grown on silicon compliancE substrates and new 3C-SiC substrates for sustaiNable wide-band-Gap powEr devices	EU	L. Miglio
Chimica di 6PPD e derivati	Pirelli-Corimav	B. Di Credico
CREW - Codesign for REhabilitation and Wellbeing	Fondazione Cariplo	A. Paleari
CuoVe/VeLe – Cuoio Vegano/ organic, luxury Vegan Leather Phase II	MINK Shoes	R.Simonutti
Project/Research Contract Title	Funded by	Principal Investigator
--	---	----------------------------
EcoCIRC	Regione Lombardia	P. Mustarelli
EIT QMforMA Designing New Materials with Quantum Mechanics	EU	C. Di Valentin
EIT-KIC–Safer reduction of ZnO amount in rubber vulcanization process (SAFE-VULCA)	EU	R. Scotti
EMPHASIS-Neuromorphic devices based on chalcogenIde heterostructures	MUR	M. Bernasconi
Engineering bio-inspired atmospheric Water Harvesters through fog collection with Badgir architecture	UNIMIB	C. Antonini - R. Akbari
Enhancing Photosynthesis	Regione Lombardia	S. Bracco
ENVIRONMENTALIST - New green and environmentally friendly materials for lithium and beyond-lithium batteries.	Accordo bilaterale Italia- Israele	P. Mustarelli
FemToTera- Plasmon-enhanced Tera-Hertz emission by Femtosecond laser pulses of nanostructured semiconductor/metal surfaces	EU	S. Sanguinetti
From local dairy waste to SUgar blocks for the synthesis of bioPoLymerS (SUrPLaS)	Fondazione Cariplo	R.SImonutti
Hexagonal allotropes for group IV photonics	UNIMIB	E. Scalise
Innovative materials and technologies for wastewater treatment in the context of appliances	Elettrotecnica ROLD	C. Antonini
Joint Lab Intercos-Unimib	Intercos	L.Beverina
KiC- IMAGINE- Development and implementation of EIT KIC Raw Materials Master Program(s) in Sustainable Materials	EU	A. Paleari
La tecnonologia SmartNETTM Silica per pneumatici altamente performanti	UNIMIB	B. Di Credico
LION - Quantum matter redesign through Light-matter interactiON	Air Force Office of Scientific Research	F. Pezzoli
Luci e ombre al Castello Visconteo di Pavia. Avvio del recupero della corte interna (architettura, affreschi, lapidario) per una rinnovata fruizione	Regione Lombardia	A. Galli
Luminescent solar concentration windows for next generation building integrated photovoltaics	UNIMIB	F. Meinardi

Project/Research Contract Title	Funded by	Principal Investigator
MADAM Metal Activated 2D Carbon-based Platforms	MUR	C. Di Valentin
Membrane alcaline e catalizzatori privi di metalli del gruppo del platino per dispositivi elettrochimici aperti di nuova generazione per l'immagazzinamento e la conversione di energia (AMPERE)	MUR-FISR	P. Mustarelli
Metal additive manufacturing (3D printing) based on Digital Light Processing	Regione Lombardia	C. Antonini
Micro-crystals Single Photon InfraREd detectors – µSPIRE – Horizon 2020 FET project	EU	S. Sanguinetti
Mid-Infrared Quantum Technology for Sensing - MIRAQLS	Commissione Europea	F. Pezzoli
Multimodal nanotracking for exosome-based therapy in dmd (theory enhancing)	Ministero della salute	F. Meinardi
MyExpert Master Fit (myopia progression)	Essilor Italia	S. Tavazzi
NATUREChem - Unlocking Sustainable Technologies Through Nature-Inspired Solvents	MUR	N. Manfredi
NEUREKA – A smart hybrid neural-computo device for drug discovery	EU	M. Fanciulli
New Glue for Silicon Polishing	MEMC	R. Simonutti
Next generation of molecular and supramolecular machines: towards functional nanostructured device, interfaces, surfaces and materials (NEMO)	MUR	P. Sozzani
Nuovi materiali coniugati per celle solari organiche	ENI	L. Beverina
Nuovi Sistemi Protettivi per Compositi elastomerici	Pirelli-Corimav	B. Di Credico
On demand BIOdegradable STARrch-derived composites for PACKaging (BIOSTAR-PACK)	Fondazione Cariplo	M. D'Arienzo
Ossidi Nanostrutturati: multi-funzionalità e applicazioni	MUR	G. Pacchioni
Photodynamic therapy for brain tumors by multifunctional particles using in situ Cerenkov and radioluminescence light	UNIMIB	C. Di Valentin
Polysaccharides derivatives: characterization and implementation as medical devices	IFBS - Istituto Farmaco Biologico Sperimentale	C. Antonini

Project/Research Contract Title	Funded by	Principal Investigator
Preparazione e caratterizzazione elettrochimica di materiali elettrodi per batterie a ioni sodio (NIB)	RSE S.p.A	R. Ruffo
Proprietà ottiche di materiali per lenti a contatto e lenti oftalmiche	GrandVision Italia	S. Tavazzi
PROtein THErmoplastIcs from FOod Refuse for food packaging Materials -PROTHEIFORM	Fondazione Cariplo	R. Simonutti
Pyrolysis processes for valorizing waste biomass and plastic through transformation into platinum-free catalysts for oxygen reduction and hydrogen evolution.	MUR	C. Santoro
RCT of HOYA One-day Multifocal Contact Lenses (Illumina)	Hoya Holdings NV, Amsterdam, The Netherlands	F. Zeri
Realizzazione di preforme e caratterizzazione di fibre scintillanti da impiegare come elementi di sensori di radiazione ionizzante	Prysmian	N. Chiodini
Realtà Aumentata e Story-Telling Automatizzato per la valorizzazione di Beni Culturali ed Itinerari	MUR	A. Galli
RM@school 4.0	EU	S. Binetti
Scintillating Porous Architectures for RadioacTivE gas detection – SPARTE	EU	A. Comotti
Solar driven chemistry: new materials for photo- and electro-catalysis (SMARTNESS)	MUR	G. Pacchioni
Stability of the Hoya soft contact lens toric	Hoya Holdings NV, Amsterdam, The Netherlands	F. Zeri
Stability of the Hoya soft contact lens toric: phase II	Hoya Holdings NV, Amsterdam, The Netherlands	F. Zeri
Studio dell'effetto di rinforzo di silice in compositi elastomerici	Fluorsid Group	R. Scotti
Studio su paste dentifricie	Ricerfarma	C. Antonini

Project/Research Contract Title	Funded by	Principal Investigator
Study on the causes of non-adaptation to progressive addition ophthalmic lenses	Hoya Corporation Vision Care Section Technical Research & Development Department, Tokyo, Japan	F. Zeri, S.Tavazzi
Supporto attività di ricerca e sviluppo nella piccola e media impresa	ApiTech srl	C. Antonini
SURFICE - Smart surface design for efficient ice protection and control	EU	C. Antonini
Sviluppo di inchiostri e di buffer layer alternativi al CdS mediante ALD per celle solari a base di kesteriti	ENEA	S. Binetti

PUBLICATIONS AND PhD THESIS

In 2022 more than 180 scientific articles authored (or co-authored) by members of the Department were published in international peer-reviewed journals, with an average impact factor (based on ISI WOS, Journal of Citation Reports 2022) of 8.9.



HIGHLIGHTS

Bajada, M.A.; Sanjosé-Orduna, J.; **Di Liberto, G.**; **Tosoni, S.**; **Pacchioni, G.**; Noël, T.; Vilé, G. *Interfacing single-atom catalysis with continuous-flow organic electrosynthesis* CHEMICAL SOCIETY REVIEWS **51**(10), 3828 (2022).

Single Atom Catalysis is a relative new frontier it the field, bridging the two worlds of homogeneous and heterogenous catalysts. A Single Atom Catalyst (SAC) is a transition metal atom atomically dispersed on a solid support. SACs are a potential platform to do a step further toward the reduction of critical raw materials and to the improvement of the catalytic activity of several key reaction processes, including organic electrosynthesis. In this review we discuss some of the progress in the field of SACs for continuous-flow organic electrosynthesis and the highlight the prospects for future applications.



In the figure: SACs incorporate numerous beneficial features of homogeneous and heterogeneous catalysts, as exemplified in the figure.

HIGHLIGHTS

Zhu, Y. G.; Leverick, G.; **Giordano, L.**; Feng, S.; Zhang, Y.; Yu, Y.; Tatara, R.; Lunger, J. R.; Shao-Horn, Y. *Nitrate-mediated four-electron oxygen reduction on metal oxides for lithium-oxygen batteries.* JOULE **6**(8), 1887 (2022)

Li-O2 batteries are a promising alternative to Li-ion batteries due to the greater gravimetric energy, which is limited by poor efficiency and cycle life due to the instability of aprotic liquid electrolytes. Molten-salt electrolytes exhibit better cycling stability, higher round-trip efficiency, and form Li2O instead of Li2O2, leading to higher gravimetric energy density. In this work, in collaboration with the Electrochemical Energy Laboratory at MIT, we have shown that the apparent four-electron oxygen reduction to form Li2O in Li-O2 batteries with molten nitrate is facilitated by the electrochemical reduction of nitrate to nitrite, and subsequent chemical oxidation of nitrite to nitrate by molecular oxygen. By studying a series of transition metal catalysts by experiments and first principles calculations, we have demonstrated that optimizing the binding of nitrate to the catalyst surface enhances the kinetics of the process, with NiO-based catalyst displaying the highest discharge voltages.



In the figure: NO₃⁻ reduction potentials (2nd voltage plateau in discharge) in O₂ and Ar as a function of the oxygen 2p-band center of formed metal oxides, and corresponding proposed reaction mechanisms.

HIGHLIGHTS

Santoro, C., Bollella, P., Erable, B., Atanassov, P., Pant, D.

Oxygen reduction reaction electrocatalysis in neutral media for bioelectrochemical systems

NATURE CATALYSIS, 5(6), 473 (2022)

The **oxygen reduction reaction** (ORR) is one of the most studied reactions in the field of electrochemistry. This reaction is less studied in neutral pHs when combined with biological matter and used within bioelectrochemical systems. ORR can occur over inorganic electrocatalysts such as single atom transition metal (TM-N-C), platinum nanoparticles supported on carbon and high surface area carbonaceous materials. ORR can also occur over **biotic electrocatalysts such as enzymes and microbes**. The addition of biological matter increases the level of complexity of an already complex system. Each class of abiotic and biotic electrocatalysts is described highlighting the bottlenecks and limitation and identifying the limiting steps in the process. Interestingly, each class of electrocatalyst has a diverse limiting step related to the adsorption of the oxygen on the active site, the reduction of the intermediate or the rejection of the final product. Importantly, oxygen availability in gaseous form is crucial for the reaction to be efficient. Interestingly, the dimensions of these electrocatalysts are very variable spacing from angstroms (in the case of single atom) up to micrometres (in the case of microbes). Only understanding the limitation of these electrocatalysts during operation can guide the selection of the materials for a specific application.



PUBLICATIONS IN INTERNATIONAL JOURNALS

#	Publication details	IF
1	Akbari, R., Mohammadizadeh, M., Antonini, C., Guittard, F., Darmanin, T. (2022). Controlling Morphology and Wettability of Intrinsically Superhydrophobic Copper-Based Surfaces by Electrodeposition. COATINGS, 12(9), 1-16 [10.3390/coatings12091260].	3.24
2	Anand, A., Zaffalon, M., Cova, F., Pinchetti, V., Khan, A., Carulli, F., et al. (2022). Optical and Scintillation Properties of Record-Efficiency CdTe Nanoplatelets toward Radiation Detection Applications. NANO LETTERS, 22(22), 8900-8907 [10.1021/acs.nanolett.2c02975].	12.26
3	Andreoni, G., Bissolotti, L., Castagna, E., Valagussa, G., Mondini, F., Paleari, A., et al. (2022). Assessment of the Usability of an Innovative Assistive Swimsuit. In Computers Helping People with Special Needs. 18th International Conference, ICCHP-AAATE 2022, Lecco, Italy, July 11–15, 2022, Proceedings, Part II (pp.469-476) [10.1007/978-3-031-08645-8_55].	0.51
4	Antonini, C. (2022). The Interface of Science and Disability: A Personal View. LANGMUIR, 38(50), 15451-15452 [10.1021/acs.langmuir.2c03250].	4.33
5	Anzi, L., Tuktamyshev, A., Fedorov, A., Zurutuza, A., Sanguinetti, S., Sordan, R. (2022). Controlling the threshold voltage of a semiconductor field-effect transistor by gating its graphene gate. NPJ 2D MATERIALS AND APPLICATIONS, 6(1), 1-7 [10.1038/s41699-022- 00302-y].	10.52
6	Arciprete, F., Boschker, J., Cecchi, S., Zallo, E., Bragaglia, V., Calarco, R. (2022). Hints for a General Understanding of the Epitaxial Rules for van der Waals Epitaxy from Ge-Sb-Te Alloys. ADVANCED MATERIALS INTERFACES, 9(9) [10.1002/admi.202101556].	6.39
7	Arnaboldi, S., Grecchi, S., Vaghi, L., Penoni, A., Scapinello, L., Buzzi, I., et al. (2022). Trópos and Átropos Biindole Chiral Electroactive Monomers: A Voltammetry and HPLC Comparative Insight. CHEMELECTROCHEM, 9(6) [10.1002/celc.202100903].	4.78
8	Arnold, S., Gentile, A., Li, Y., Wang, Q., Marchionna, S., Ruffo, R., et al. (2022). Design of high-performance antimony/MXene hybrid electrodes for sodium-ion batteries. JOURNAL OF MATERIALS CHEMISTRY. A, 2022(10), 10569-10585 [10.1039/D2TA00542E].	14.51
9	Artyushkova, K., Reshetenko, T., Roth, C., Santoro, C., Serov, A., Andre, J., et al. (2022). Editorial for the Virtual Special Issue of Journal of Power Sources "Low temperature fuel cells and electrolysers" - Science and engineering: Let's play this game hand in hand!. JOURNAL OF POWER SOURCES, 550(1 December 2022) [10.1016/j.jpowsour.2022.232123].	9.79
10	Azadmand, M., Vichi, S., Cesura, F., Bietti, S., Chrastina, D., Bonera, E., et al. (2022). Vapour Liquid Solid Growth Effects on InGaN Epilayers Composition Uniformity in Presence of Metal Droplets. NANOMATERIALS, 12(21) [10.3390/nano12213887].	5.72

#	Publication details	IF
11	Bahmani Jalali, H., Pianetti, A., Zito, J., Imran, M., Campolucci, M., Ivanov, Y., et al. (2022). Cesium Manganese Bromide Nanocrystal Sensitizers for Broadband Vis-to-NIR Downshifting. ACS ENERGY LETTERS, 7(5), 1850-1858 [10.1021/acsenergylett.2c00311].	23.99
12	Bajada, M., Sanjose-Orduna, J., Di Liberto, G., Tosoni, S., Pacchioni, G., Noel, T., et al. (2022). Interfacing single-atom catalysis with continuous-flow organic electrosynthesis. CHEMICAL SOCIETY REVIEWS, 51(10), 3898-3925 [10.1039/d2cs00100d].	60.62
13	Balzer, F., Schumacher, M., Mattiello, S., Schulz, M., Zablocki, J., Schmidtmann, M., et al. (2022). The Impact of Chiral CitronellyI-Functionalization on Indolenine and Anilino Squaraine Thin Films. ISRAEL JOURNAL OF CHEMISTRY, 62(7-8 (August 2022)) [10.1002/ijch.202100079].	3.36
14	Baratella, D., Dragoni, D., Bernasconi, M. (2022). First-Principles Calculation of Transport and Thermoelectric Coefficients in Liquid Ge2Sb2Te5. PHYSICA STATUS SOLIDI. RAPID RESEARCH LETTERS, 16(9) [10.1002/pssr.202100470].	3.28
15	Barbiero, A., Tuktamyshev, A., Pirard, G., Huwer, J., M??ller, T., Stevenson, R., et al. (2022). Exciton Fine Structure in InAs Quantum Dots with Cavity-Enhanced Emission at Telecommunication Wavelength and Grown on a GaAs (111) A Vicinal Substrate. PHYSICAL REVIEW APPLIED, 18(3) [10.1103/physrevapplied.18.034081].	4.93
16	Barbisan, L., Marzegalli, A., Montalenti, F. (2022). Atomic-scale insights on the formation of ordered arrays of edge dislocations in Ge/Si(001) films via molecular dynamics simulations. SCIENTIFIC REPORTS, 12(1) [10.1038/s41598-022-07206-3].	5.00
17	Barbisan, L., Scalise, E., Marzegalli, A. (2022). Evolution and Intersection of Extended Defects and Stacking Faults in 3C-SiC Layers on Si (001) Substrates by Molecular Dynamics Simulations: The Forest Dislocation Case. PHYSICA STATUS SOLIDI B-BASIC RESEARCH, 259(9) [10.1002/pssb.202100584].	1.78
18	Barlocco, I., Cipriano, L., Di Liberto, G., Pacchioni, G. (2022). Modeling Hydrogen and Oxygen Evolution Reactions on Single Atom Catalysts with Density Functional Theory: Role of the Functional. ADVANCED THEORY AND SIMULATIONS [10.1002/adts.202200513].	4.11
19	Barni, D., Raimondo, L., Galli, A., Caglio, S., Mostoni, S., D'Arienzo, M., et al. (2022). Separating pigments and fillers from the polymer matrix in acrylic colors subjected to natural aging. THE EUROPEAN PHYSICAL JOURNAL PLUS, 137(8) [10.1140/epjp/s13360-022- 03117-4].	3.76
20	Basso, D., Bracchi, V., Bazzicalupo, P., Martini, M., Maspero, F., Bavestrello, G. (2022). Living coralligenous as geo-historical structure built by coralline algae. FRONTIERS IN EARTH SCIENCE, 10 [10.3389/feart.2022.961632].	3.66
21	Beznasyuk, D., Marti-Sanchez, S., Kang, J., Tanta, R., Rajpalke, M., Stankevic, T., et al. (2022). Doubling the mobility of InAs/InGaAs selective area grown nanowires. PHYSICAL REVIEW MATERIALS, 6(3) [10.1103/PhysRevMaterials.6.034602].	3.98

#	Publication details	IF
22	Bianchetti, E., Di Valentin, C. (2022). Effect of Surface Functionalization on the Magnetization of Fe3O4 Nanoparticles by Hybrid Density Functional Theory Calculations. THE JOURNAL OF PHYSICAL CHEMISTRY LETTERS, 13(40), 9348-9354 [10.1021/acs.jpclett.2c02186].	6.89
23	Bianchetti, E., Di Valentin, C. (2022). Mechanism of spin ordering in Fe3O4 nanoparticles by surface coating with organic acids. MATERIALS TODAY NANO, 17(March 2022) [10.1016/j.mtnano.2021.100169].	13.36
24	Boccardo, F., Rovaris, F., Tripathi, A., Montalenti, F., Pierre-Louis, O. (2022). Stress-Induced Acceleration and Ordering in Solid-State Dewetting. PHYSICAL REVIEW LETTERS, 128(2) [10.1103/PhysRevLett.128.026101].	9.19
25	Boccardo, L., Vizio, A., Galli, G., Naroo, S., Fratini, A., Tavazzi, S., et al. (2022). Translation and validation of convergence insufficiency symptom survey to Italian: Psychometric results. JOURNAL OF OPTOMETRY [10.1016/j.optom.2022.08.004].	
26	Boldrini, C., Quivelli, A., Manfredi, N., Capriati, V., Abbotto, A. (2022). Deep Eutectic Solvents in Solar Energy Technologies. MOLECULES, 27(3) [10.3390/molecules27030709].	4.93
27	Bonaventura, E., Dhungana, D., Martella, C., Grazianetti, C., Macis, S., Lupi, S., et al. (2022). Optical and thermal responses of silicene in Xene heterostructures. NANOSCALE HORIZONS, 7(8), 924-930 [10.1039/d2nh00219a].	11.68
28	Bonera, E., Molle, A. (2022). Optothermal Raman Spectroscopy of Black Phosphorus on a Gold Substrate. NANOMATERIALS, 12(9) [10.3390/nano12091410].	5.72
29	Bonfant, G., Balestri, D., Perego, J., Comotti, A., Bracco, S., Koepf, M., et al. (2022). Phosphine Oxide Porous Organic Polymers Incorporating Cobalt(II) Ions: Synthesis, Characterization, and Investigation of H2 Production. ACS OMEGA, 7(7), 6104-6112 [10.1021/acsomega.1c06522].	4.13
30	Boventi, M., Mauri, M., Simonutti, R. (2022). 129 Xe: A Wide-Ranging NMR Probe for Multiscale Structures. APPLIED SCIENCES, 12(6) [10.3390/app12063152].	2.84
31	Bragato, C., Mostoni, S., D'Abramo, C., Gualtieri, M., Pomilla, F., Scotti, R., et al. (2022). On the In Vitro and In Vivo Hazard Assessment of a Novel Nanomaterial to Reduce the Use of Zinc Oxide in the Rubber Vulcanization Process. TOXICS, 10(12) [10.3390/toxics10120781].	4.47
32	Caldera, F., Nistico', R., Magnacca, G., Matencio, A., Monfared, Y., Trotta, F. (2022). Magnetic Composites of Dextrin-Based Carbonate Nanosponges and Iron Oxide Nanoparticles with Potential Application in Targeted Drug Delivery. NANOMATERIALS, 12(5), 1-14 [10.3390/nano12050754].	5.72
33	Carulli, F., Cova, F., Gironi, L., Meinardi, F., Vedda, A., Brovelli, S. (2022). Stokes Shift Engineered Mn:CdZnS/ZnS Nanocrystals as Reabsorption-Free Nanoscintillators in High Loading Polymer Composites. ADVANCED OPTICAL MATERIALS, 10(13) [10.1002/adom.202200419].	10.05

#	Publication details	IF
34	Caruso, F., La Torraca, P., Larcher, L., Tallarida, G., Spiga, S. (2022). The electrons' journey in thick metal oxides. APPLIED PHYSICS LETTERS, 121(1) [10.1063/5.0097922].	3.97
35	Casotto, A., Drera, G., Perilli, D., Freddi, S., Pagliara, S., Zanotti, M., et al. (2022). π-Orbital mediated charge transfer channels in a monolayer Gr-NiPc heterointerface unveiled by soft X-ray electron spectroscopies and DFT calculations. NANOSCALE, 14(36), 13166-13177 [10.1039/d2nr02647c].	8.31
36	Cecchi, S., Garcia, I., Mio, A., Zallo, E., Kheir, O., Calarco, R., et al. (2022). Crystallization and Electrical Properties of Ge-Rich GeSbTe Alloys. NANOMATERIALS, 12(4) [10.3390/nano12040631].	5.72
37	Ceriani, C., Pallini, F., Mezzomo, L., Sassi, M., Mattiello, S., Beverina, L. (2022). Micellar catalysis beyond the hydrophobic effect: Efficient palladium catalyzed Suzuki-Miyaura coupling of water and organic solvent insoluble pigments with food grade surfactants. JOURNAL OF ORGANOMETALLIC CHEMISTRY, 962(15 March 2022) [10.1016/j.jorganchem.2022.122267].	2.35
38	Chaudhary, R., Fabbri, P., Leoni, E., Mazzanti, F., Akbari, R., Antonini, C. (2022). Additive manufacturing by digital light processing: a review. PROGRESS IN ADDITIVE MANUFACTURING [10.1007/s40964-022-00336-0].	
39	Cheze, C., Riva, F., Di Bella, G., Placidi, E., Prili, S., Bertelli, M., et al. (2022). Interface Formation during the Growth of Phase Change Material Heterostructures Based on Ge-Rich Ge-Sb-Te Alloys. NANOMATERIALS, 12(6) [10.3390/nano12061007].	5.72
40	Cipriano, L., Di Liberto, G., Pacchioni, G. (2022). Superoxo and Peroxo Complexes on Single- Atom Catalysts: Impact on the Oxygen Evolution Reaction. ACS CATALYSIS, 12(19), 11682- 11691 [10.1021/acscatal.2c03020].	13.70
41	Cotella, G., Bonasera, A., Carnicella, G., Minotto, A., Hecht, S., Cacialli, F. (2022). Diarylethenes in Optically Switchable Organic Light-Emitting Diodes: Direct Investigation of the Reversible Charge Carrier Trapping Process. ADVANCED OPTICAL MATERIALS, 10(2 (January 18, 2022)) [10.1002/adom.202101116].	10.05
42	Crapanzano, R., Villa, I., Mostoni, S., D'Arienzo, M., Di Credico, B., Fasoli, M., et al. (2022). Photo- and radio-luminescence of porphyrin functionalized ZnO/SiO2 nanoparticles. PHYSICAL CHEMISTRY CHEMICAL PHYSICS, 24(35), 21198-21209 [10.1039/D2CP00884J].	3.95
43	Das, T., Di Liberto, G., Pacchioni, G. (2022). Quantum confinement in chalcogenides 2D nanostructures from first principles. JOURNAL OF PHYSICS. CONDENSED MATTER, 34(40) [10.1088/1361-648X/ac838b].	2.75

#	Publication details	IF
44	Davino, S., Callegari, D., Pasini, D., Thomas, M., Nicotera, I., Bonizzoni, S., et al. (2022). Cross-Linked Gel Electrolytes with Self-Healing Functionalities for Smart Lithium Batteries. ACS APPLIED MATERIALS & INTERFACES, 14(46), 51941-51953 [10.1021/acsami.2c15011].	10.38
45	De Donno, M., Albani, M., Bergamaschini, R., Montalenti, F. (2022). Phase-field modeling of the morphological evolution of ringlike structures during growth: Thermodynamics, kinetics, and template effects. PHYSICAL REVIEW MATERIALS, 6(2) [10.1103/PhysRevMaterials.6.023401].	3.98
46	De Nicola, A., Correa, A., Bracco, S., Perego, J., Sozzani, P., Comotti, A., et al. (2022). Collective dynamics of molecular rotors in periodic mesoporous organosilica: a combined solid-state 2H-NMR and molecular dynamics simulation study. PHYSICAL CHEMISTRY CHEMICAL PHYSICS, 24(2), 666-673 [10.1039/d1cp05013c].	3.95
47	Decavoli, C., Boldrini, C., Faroldi, F., Baldini, L., Sansone, F., Ranaudo, A., et al. (2022). Calix[4]arene-Based Sensitizers for Host-Guest Supramolecular Dyads for Solar Energy Conversion in Photoelectrochemical Cells. EUROPEAN JOURNAL OF ORGANIC CHEMISTRY, 2022(34) [10.1002/ejoc.202200649].	3.26
48	Della Pergola, R., Garlaschelli, L., Macchi, P., Facchinetti, I., Ruffo, R., Racioppi, S., et al. (2022). From Small Metal Clusters to Molecular Nanoarchitectures with a Core–Shell Structure: The Synthesis, Redox Fingerprint, Theoretical Analysis, and Solid-State Structure of [Co38As12(CO)50]4–. INORGANIC CHEMISTRY, 61(26), 9888-9896 [10.1021/acs.inorgchem.2c00506].	5.44
49	Di Credico, B., Odriozola, G., Mascotto, S., Meyer, A., Tripaldi, L., Moncho-Jordá, A. (2022). Controlling the anisotropic self-assembly of polybutadiene-grafted silica nanoparticles by tuning three-body interaction forces. SOFT MATTER, 18(41), 8034-8045 [10.1039/d2sm00943a].	4.05
50	Di Liberto, G., Cipriano, L., Pacchioni, G. (2022). Single Atom Catalysts: What Matters Most, the Active Site or The Surrounding?. CHEMCATCHEM, 14(19) [10.1002/cctc.202200611].	5.50
51	Di Liberto, G., Cipriano, L., Pacchioni, G. (2022). Universal Principles for the Rational Design of Single Atom Electrocatalysts? Handle with Care. ACS CATALYSIS, 12(10), 5846-5856 [10.1021/acscatal.2c01011].	13.70
52	Di Liberto, G., Fatale, O., Pacchioni, G. (2022). First principles approach to solar energy conversion efficiency of semiconductor heterojunctions. SOLAR ENERGY, 236(1 April 2022), 445-454 [10.1016/j.solener.2022.03.023].	7.19
53	Di Liberto, G., Maleki, F., Pacchioni, G. (2022). PH Dependence of MgO, TiO2, and γ- Al2O3Surface Chemistry from First Principles. JOURNAL OF PHYSICAL CHEMISTRY. C, 126(24), 10216-10223 [10.1021/acs.jpcc.2c02289].	4.18

#	Publication details	IF
54	Di Liberto, G., Morales-García, A., Bromley, S. (2022). An unconstrained approach to systematic structural and energetic screening of materials interfaces. NATURE COMMUNICATIONS, 13(1) [10.1038/s41467-022-33414-6].	17.69
55	Di Liberto, G., Tosoni, S., Cipriano, L., Pacchioni, G. (2022). A Few Questions about Single- Atom Catalysts: When Modeling Helps. ACCOUNTS OF MATERIALS RESEARCH, 3(9), 986- 995 [10.1021/accountsmr.2c00118].	
56	Di Nica, V., Rizzi, C., Finizio, A., Ferraro, L., Villa, S. (2022). Behavioural responses of juvenile Daphnia magna to two organophosphorus insecticides. JOURNAL OF LIMNOLOGY, 81(1 (03-02-2022)), 42-51 [10.4081/jlimnol.2021.2015].	1.67
57	Di Salvatore, S., Magatti, G., Acciarri, M., Rossetti, M., da Costa, L., Ribeiro, I. (2022). Solid Waste Management Approach at the University through Living Labs and Communication Strategies: Case Studies in Italy and Portugal. SUSTAINABILITY, 14(9) [10.3390/su14095240].	3.89
58	Diego Gatta, G., Adamo, I., Zullino, A., Gagliardi, V., Lorenzi, R., Rotiroti, N., et al. (2022). A Multi-Methodological Investigation of Natural and Synthetic Red Beryl Gemstones. MINERALS, 12(4) [10.3390/min12040439].	2.82
59	Donadoni, E., Siani, P., Frigerio, G., Di Valentin, C. (2022). Multi-scale modeling of folic acid- functionalized TiO\$_{2}\$ nanoparticles for active targeting of tumor cells. NANOSCALE, 14, 12099-12116 [10.1039/d2nr02603a].	8.31
60	Fantini, G., Armatol, A., Armengaud, E., Armstrong, W., Augier, C., Avignone, F., et al. (2022). Machine Learning Techniques for Pile-Up Rejection in Cryogenic Calorimeters. JOURNAL OF LOW TEMPERATURE PHYSICS, 209(5-6), 1024-1031 [10.1007/s10909-022-02741-9].	1.62
61	Fazi, L., Raimondo, L., Bonanni, B., Fanfoni, M., Paolesse, R., Sgarlata, A., et al. (2022). Unveiling the robustness of porphyrin crystalline nanowires toward aggressive chemicals. THE EUROPEAN PHYSICAL JOURNAL PLUS, 137(3) [10.1140/epjp/s13360-022-02446-8].	3.76
62	Ferrara, C., Ritter, C., Mustarelli, P., Tealdi, C. (2022). Polymorphism in Na2(Co/Zn)P2O7 and Na2(Co/Fe)P2O7 Pyrophosphates: A Combined Diffraction and 31P NMR Study. JOURNAL OF PHYSICAL CHEMISTRY. C, 126(1), 701-708 [10.1021/acs.jpcc.1c08753].	4.18
63	Ficca, V., Santoro, C., Marsili, E., da Silva Freitas, W., Serov, A., Atanassov, P., et al. (2022). Sensing nitrite by iron-nitrogen-carbon oxygen reduction electrocatalyst. ELECTROCHIMICA ACTA, 402(10 January 2022) [10.1016/j.electacta.2021.139514].	7.34
64	Freddi, S., Perilli, D., Vaghi, L., Monti, M., Papagni, A., Di Valentin, C., et al. (2022). Pushing Down the Limit of NH3 Detection of Graphene-Based Chemiresistive Sensors through Functionalization by Thermally Activated Tetrazoles Dimerization. ACS NANO, 16(7), 10456-10469 [10.1021/acsnano.2c01095].	18.03

#	Publication details	IF
65	Galli, A., Bonizzoni, L. (2022). Contribution of X-ray Fluorescence Techniques in Cultural Heritage Materials Characterization. APPLIED SCIENCES, 12(13) [10.3390/app12136309].	2.84
66	Galli, A., Caccia, M., Caglio, S., Bonizzoni, L., Castiglioni, I., Gironda, M., et al. (2022). An innovative protocol for the study of painting materials involving the combined use of MA-XRF maps and hyperspectral images. THE EUROPEAN PHYSICAL JOURNAL PLUS, 137(1) [10.1140/epjp/s13360-021-02183-4].	3.76
67	Gentile, A., Marchionna, S., Balordi, M., Pagot, G., Ferrara, C., Di Noto, V., et al. (2022). Critical Analysis of MXene Production with In-Situ HF Forming Agents for Sustainable Manufacturing. CHEMELECTROCHEM, 9(23) [10.1002/celc.202200891].	4.78
68	Gentile, A., Marchionna, S., Balordi, M., Pagot, G., Ferrara, C., Di Noto, V., et al. (2022). Critical Analysis of MXene Production with In-Situ HF Forming Agents for Sustainable Manufacturing. CHEMELECTROCHEM, 9(23) [10.1002/celc.202201063].	4.78
69	Ghiglietti, E., Podapangi, S., Mecca, S., Mezzomo, L., Ruffo, R., Sassi, M., et al. (2022). An efficient Buchwald–Hartwig amination protocol enables the synthesis of new branched and polymeric hole transport materials for perovskite solar cells. ENERGY ADVANCES, 1(7), 398-401 [10.1039/D2YA00135G].	
70	Giordano, L., Akkiraju, K., Jacobs, R., Vivona, D., Morgan, D., Shao-Horn, Y. (2022). Electronic Structure-Based Descriptors for Oxide Properties and Functions. ACCOUNTS OF CHEMICAL RESEARCH, 55(3), 298-308 [10.1021/acs.accounts.1c00509].	24.47
71	Han, Y., Yu, J., Zhang, H., Xu, F., Peng, K., Zhou, X., et al. (2022). Photoinduced Ultrafast Symmetry Switch in SnSe. THE JOURNAL OF PHYSICAL CHEMISTRY LETTERS, 13(2), 442-448 [10.1021/acs.jpclett.1c03704].	6.89
72	Isceri, S., Dragoni, D., Campi, D., Cecchi, S., Bernasconi, M. (2022). Geometry of tellurene adsorbed on the Si(111)-(root 3 x root 3)R30 degrees-Sb surface from first principles calculations. PHYSICAL CHEMISTRY CHEMICAL PHYSICS, 24(31), 18608-18614 [10.1039/d2cp01759h].	3.95
73	Lanzoni, D., Albani, M., Bergamaschini, R., Montalenti, F. (2022). Morphological evolution via surface diffusion learned by convolutional, recurrent neural networks: Extrapolation and prediction uncertainty. PHYSICAL REVIEW MATERIALS, 6(10) [10.1103/PhysRevMaterials.6.103801].	3.98
74	Lanzoni, D., Rovaris, F., Montalenti, F. (2022). Machine learning potential for interacting dislocations in the presence of free surfaces. SCIENTIFIC REPORTS, 12(1) [10.1038/s41598-022-07585-7].	5.00
75	Liu, K., Brivio, M., Xiao, T., Norwood, V., Kim, Y., Jin, S., et al. (2022). Modular Synthetic Routes to Fluorine-Containing Halogenated Phenazine and Acridine Agents That Induce Rapid Iron Starvation in Methicillin-Resistant Staphylococcus aureus Biofilms. ACS INFECTIOUS DISEASES, 8(2), 280-295 [10.1021/acsinfecdis.1c00402].	5.58

#	Publication details	IF
76	Liu, Y., Zaffalon, M., Zito, J., Cova, F., Moro, F., Fanciulli, M., et al. (2022). Cu+→ Mn2+ Energy Transfer in Cu, Mn Coalloyed Cs3ZnCl5Colloidal Nanocrystals. CHEMISTRY OF MATERIALS, 34(19), 8603-8612 [10.1021/acs.chemmater.2c01578].	10.51
77	Longo, E., Belli, M., Alia, M., Rimoldi, M., Cecchini, R., Longo, M., et al. (2022). Large Spin-to- Charge Conversion at Room Temperature in Extended Epitaxial Sb2Te3 Topological Insulator Chemically Grown on Silicon. ADVANCED FUNCTIONAL MATERIALS, 32(4) [10.1002/adfm.202109361].	19.92
78	Lorenzi, R., Golubev, N., Ignat'Eva, E., Sigaev, V., Ferrara, C., Acciarri, M., et al. (2022). Defect-assisted photocatalytic activity of glass-embedded gallium oxide nanocrystals. JOURNAL OF COLLOID AND INTERFACE SCIENCE, 608(Part 3 (15 February 2022)), 2830- 2838 [10.1016/j.jcis.2021.11.009].	9.97
79	Lorenzi, R., Zullino, A., Gagliardi, V., Prosperi, L., Paleari, A., Adamo, I. (2022). Atomic and microstructural origin of banded colours in purple-blue variety of agate from Yozgat Province, Turkey. PHYSICS AND CHEMISTRY OF MINERALS, 49(8 (August 2022)) [10.1007/s00269-022-01208-3].	1.75
80	Loretz, P., Tschirky, T., Isa, F., Patscheider, J., Trottmann, M., Wichser, A., et al. (2022). Conductive n-type gallium nitride thin films prepared by sputter deposition. JOURNAL OF VACUUM SCIENCE & TECHNOLOGY. A. VACUUM, SURFACES, AND FILMS, 40(4) [10.1116/6.0001623].	3.23
81	Lutz-Bueno, V., Diaz, A., Wu, T., Nystrã¶m, G., Geiger, T., Antonini, C. (2022). Hierarchical Structure of Cellulose Nanofibril-Based Foams Explored by Multimodal X-ray Scattering. BIOMACROMOLECULES, 23(3 (14 March 2022)), 676-686 [10.1021/acs.biomac.1c00521].	6.98
82	Madan, I., Leccese, V., Mazur, A., Barantani, F., Lagrange, T., Sapozhnik, A., et al. (2022). Ultrafast Transverse Modulation of Free Electrons by Interaction with Shaped Optical Fields. ACS PHOTONICS, 9(10), 3215-3224 [10.1021/acsphotonics.2c00850].	7.08
83	Maleki, F., Pacchioni, G. (2022). A DFT study of formic acid decomposition on the stoichiometric SnO2 surface as a function of iso-valent doping. SURFACE SCIENCE, 718 [10.1016/j.susc.2021.122009].	2.07
84	Maleki, F., Pacchioni, G. (2022). Probing the nature of Lewis acid sites on oxide surfaces with 31P(CH3)3 NMR: a theoretical analysis. PHYSICAL CHEMISTRY CHEMICAL PHYSICS, 24(33), 19773-19782 [10.1039/d2cp03306b].	3.95
85	Malik, B., Majumder, S., Lorenzi, R., Perelshtein, I., Ejgenberg, M., Paleari, A., et al. (2022). Promising Electrocatalytic Water and Methanol Oxidation Reaction Activity by Nickel Doped Hematite/Surface Oxidized Carbon Nanotubes Composite Structures. CHEMPLUSCHEM, 87(5) [10.1002/cplu.202200036].	3.21

#	Publication details	IF
86	Manson, J., Benedek, G., Miret-Artés, S. (2022). Atom scattering as a probe of the surface electron-phonon interaction at conducting surfaces. SURFACE SCIENCE REPORTS, 77(2 (May 2022)) [10.1016/j.surfrep.2022.100552].	13.42
87	Martella, C., Campi, D., Tummala, P., Kozma, E., Targa, P., Codegoni, D., et al. (2022). Extreme Bendability of Atomically Thin MoS2 Grown by Chemical Vapor Deposition Assisted by Perylene-Based Promoter. NANOMATERIALS, 12(22), 4050-4059 [10.3390/nano12224050].	5.72
88	Martini, M., Galli, A. (2022). Special Issue: Application of Materials Science in the Study of Cultural Heritage. APPLIED SCIENCES, 12(10) [10.3390/app12105069].	2.84
89	Maspero, F., Galli, A., Panzeri, L., Martini, M. (2022). Rehydroxylation: a promising technique for ceramic dating. JOURNAL OF PHYSICS. CONFERENCE SERIES, 2204(1) [10.1088/1742-6596/2204/1/012031].	
90	Massironi, N., Colombo, M., Cosentino, C., Fiandra, L., Mauri, M., Kayal, Y., et al. (2022). Heparin–Superparamagnetic Iron Oxide Nanoparticles for Theranostic Applications. MOLECULES, 27(20) [10.3390/molecules27207116].	4.93
91	Mattiello, S., Hattori, Y., Kitajima, R., Matsuoka, R., Kusamoto, T., Uchida, K., et al. (2022). Enhancement of fluorescence and photostability of luminescent radicals by quadruple addition of phenyl groups. JOURNAL OF MATERIALS CHEMISTRY. C, 10(40), 15028-15034 [10.1039/d2tc03132a].	8.07
92	Mattiello, S., Lucarelli, G., Calascibetta, A., Polastri, L., Ghiglietti, E., Podapangi, S., et al. (2022). Sustainable, Efficient, and Scalable Preparation of Pure and Performing Spiro- OMeTAD for Perovskite Solar Cells. ACS SUSTAINABLE CHEMISTRY & ENGINEERING, 10(14), 4750-4757 [10.1021/acssuschemeng.2c00493].	9.22
93	Mattiello, S., Mecca, S., Ronchi, A., Calascibetta, A., Mattioli, G., Pallini, F., et al. (2022). Diffusion-Free Intramolecular Triplet–Triplet Annihilation in Engineered Conjugated Chromophores for Sensitized Photon Upconversion. ACS ENERGY LETTERS, 2022(7), 2435-2442 [10.1021/acsenergylett.2c01224].	23.99
94	Mezzomo, L., Bonato, S., Mostoni, S., Di Credico, B., Scotti, R., D'Arienzo, M., et al. (2022). Composite solid-state electrolyte based on hybrid poly(ethylene glycol)-silica fillers enabling long-life lithium metal batteries. ELECTROCHIMICA ACTA, 411(10 April 2022) [10.1016/j.electacta.2022.140060].	7.34
95	Mezzomo, L., Lorenzi, R., Mauri, M., Simonutti, R., D'Arienzo, M., Wi, T., et al. (2022). Unveiling the Role of PEO-Capped TiO2 Nanofiller in Stabilizing the Anode Interface in Lithium Metal Batteries. NANO LETTERS, 22(21), 8509-8518 [10.1021/acs.nanolett.2c02973].	12.26

#	Publication details	IF
96	Miglio, F., Ponzini, E., Zeri, F., Borghesi, A., Tavazzi, S. (2022). In vitro affinity for nicotine of soft contact lenses of different materials. CONTACT LENS & ANTERIOR EYE, 45(4) [10.1016/j.clae.2021.101490].	3.95
97	Minotto, A. (2022). Efficient emitters in the NIR-II window. NATURE PHOTONICS, 16(12), 812-813 [10.1038/s41566-022-01109-5].	39.73
98	Monti, A., Ricci, G., Martini, M., Galli, A., Lugli, F., Dalconi, M., et al. (2022). Unusual Luminescence of Quartz from La Sassa, Tuscany: Insights on the Crystal and Defect Nanostructure of Quartz Further Developments. MINERALS, 12(7 (July 2022)) [10.3390/min12070828].	2.82
99	Monti, M., Giannini, L., Tadiello, L., Guerra, S., Papagni, A., Vaghi, L. (2022). Thermally Activable Bistetrazoles for Elastomers Crosslinking. POLYMERS, 14(14) [10.3390/polym14142919].	4.97
100	Moret, M., Gavezzotti, A. (2022). The crystalline state of rubrene materials: intermolecular recognition, isomorphism, polymorphism, and periodic bond-chain analysis of morphologies. NEW JOURNAL OF CHEMISTRY, 46(16), 7626-7637 [10.1039/d2nj00861k].	3.93
101	Morina, R., Baroni, R., Callegari, D., Quartarone, E., Mustarelli, P. (2022). Nanocomposite Janus Gel Polymer Electrolytes for Lithium Metal Batteries. BATTERIES, 8(8) [10.3390/batteries8080089].	5.94
102	Morina, R., Callegari, D., Merli, D., Alberti, G., Mustarelli, P., Quartarone, E. (2022). Cathode Active Material Recycling from Spent Lithium Batteries: A Green (Circular) Approach Based on Deep Eutectic Solvents. CHEMSUSCHEM, 15(2 (21 January 2022)) [10.1002/cssc.202102080].	9.14
103	Moro, F., Ke, S., Granados del Águila, A., Söll, A., Sofer, Z., Wu, Q., et al. (2022). Revealing 2D Magnetism in a Bulk CrSBr Single Crystal by Electron Spin Resonance. ADVANCED FUNCTIONAL MATERIALS, 32(45) [10.1002/adfm.202207044].	19.92
104	Moro, F., Moret, M., Ghirri, A., Granados del Aguila, A., Kubozono, Y., Beverina, L., et al. (2022). Room-temperature optically detected magnetic resonance of triplet excitons in a pentacene-doped picene single crystal. JOURNAL OF MATERIALS RESEARCH, 37(6), 1269-1279 [10.1557/s43578-022-00536-y].	2.91
105	Mostoni, S., Milana, P., D'Arienzo, M., Dirè, S., Callone, E., Cepek, C., et al. (2022). Studying stearic acid interaction with ZnO/SiO2 nanoparticles with tailored morphology and surface features: A benchmark for better designing efficient ZnO-based curing activators. CERAMICS INTERNATIONAL [10.1016/j.ceramint.2022.12.013].	5.53
106	Mostoni, S., Milana, P., Marano, C., Conzatti, L., Mauri, M., D'Arienzo, M., et al. (2022). Localizing the cross-links distribution in elastomeric composites by tailoring the morphology of the curing activator. COMPOSITES SCIENCE AND TECHNOLOGY, 230(Part 1 (10 November 2022)), 1-9 [10.1016/j.compscitech.2022.109780].	9.88

#	Publication details	IF
107	Muhyuddin, M., Filippi, J., Zoia, L., Bonizzoni, S., Lorenzi, R., Berretti, E., et al. (2022). Waste Face Surgical Mask Transformation into Crude Oil and Nanostructured Electrocatalysts for Fuel Cells and Electrolyzers. CHEMSUSCHEM, 15(2) [10.1002/cssc.202102351].	9.14
108	Muhyuddin, M., Testa, D., Lorenzi, R., Vanacore, G., Poli, F., Soavi, F., et al. (2022). Iron- based electrocatalysts derived from scrap tires for oxygen reduction reaction: Evolution of synthesis-structure-performance relationship in acidic, neutral and alkaline media. ELECTROCHIMICA ACTA, 433(20 November 2022) [10.1016/j.electacta.2022.141254].	7.34
109	Muhyuddin, M., Zocche, N., Lorenzi, R., Ferrara, C., Poli, F., Soavi, F., et al. (2022). Valorization of the inedible pistachio shells into nanoscale transition metal and nitrogen codoped carbon-based electrocatalysts for hydrogen evolution reaction and oxygen reduction reaction. MATERIALS FOR RENEWABLE AND SUSTAINABLE ENERGY, 11(2), 131-141 [10.1007/s40243-022-00212-5].	
110	Munuera, J., Britnell, L., Santoro, C., Cuellar-Franca, R., Casiraghi, C. (2022). A review on sustainable production of graphene and related life cycle assessment. 2D MATERIALS, 9(1) [10.1088/2053-1583/ac3f23].	6.86
111	Murri, M., Capitani, G., Fasoli, M., Monguzzi, A., Calloni, A., Bussetti, G., et al. (2022). Laboratory Simulation of Space Weathering on Silicate Surfaces in the Water Environment. ACS EARTH AND SPACE CHEMISTRY, 6(1 (20 January 2022)), 197-206 [10.1021/acsearthspacechem.1c00349].	3.56
112	Narducci, D., Giulio, F. (2022). Recent Advances on Thermoelectric Silicon for Low- Temperature Applications. MATERIALS, 15(3) [10.3390/ma15031214].	3.75
113	Navarro, J., Das, M., Tosoni, S., Landwehr, F., Bruce, J., Heyde, M., et al. (2022). Covalent Adsorption of N-Heterocyclic Carbenes on a Copper Oxide Surface. JOURNAL OF THE AMERICAN CHEMICAL SOCIETY, 144(36), 16267-16271 [10.1021/jacs.2c06335].	16.38
114	Navarro, J., Das, M., Tosoni, S., Landwehr, F., Heyde, M., Pacchioni, G., et al. (2022). Promoted Thermal Reduction of Copper Oxide Surfaces by N-Heterocyclic Carbenes. JOURNAL OF PHYSICAL CHEMISTRY. C, 126(41), 17528-17535 [10.1021/acs.jpcc.2c04257].	4.18
115	Navarro, J., Das, M., Tosoni, S., Landwehr, F., Koy, M., Heyde, M., et al. (2022). Growth of N- Heterocyclic Carbene Assemblies on Cu(100) and Cu(111): From Single Molecules to Magic- Number Islands. ANGEWANDTE CHEMIE. INTERNATIONAL EDITION, 61(30), 1-8 [10.1002/anie.202202127].	16.82
116	Nistico', R. (2022). A Comprehensive Study on the Applications of Clays into Advanced Technologies, with a Particular Attention on Biomedicine and Environmental Remediation. INORGANICS, 10(3), 1-20 [10.3390/inorganics10030040].	3.15

#	Publication details	IF
117	Nistico', R., D'Arienzo, M., Di Credico, B., Mostoni, S., Scotti, R. (2022). The role of inorganic fillers in electrostatic discharge composites. INORGANICS, 10(12), 1-20 [10.3390/inorganics10120222].	3.15
118	Orsini, S., Cipolla, L., Petroni, S., Dirè, S., Ceccato, R., Callone, E., et al. (2022). Synthesis and Characterization of Alkoxysilane-Bearing Photoreversible Cinnamic Side Groups: A Promising Building-Block for the Design of Multifunctional Silica Nanoparticles. LANGMUIR, 38(50), 15662-15671 [10.1021/acs.langmuir.2c02472].	4.33
119	Pacchioni, G. (2022). From Li clusters to nanocatalysis: A brief tour of 40 years of cluster chemistry. INORGANICA CHIMICA ACTA, 530(24 January 2022) [10.1016/j.ica.2021.120680].	3.12
120	Pacchioni, G., Rahman, T. (2022). Defect engineering of oxide surfaces: Dream or reality?. JOURNAL OF PHYSICS. CONDENSED MATTER, 34(29) [10.1088/1361-648X/ac6c6d].	2.75
121	Pallini, F., Mattiello, S., Cassinelli, M., Rossi, P., Mecca, S., Tan, W., et al. (2022). Unexpected Enhancement of Molecular n-Doping Efficiency in Polymer Thin Films by a Degradation Product. ACS APPLIED ENERGY MATERIALS, 5(2), 2421-2429 [10.1021/acsaem.1c03893].	6.96
122	Panza, N., Tseberlidis, G., Caselli, A., Vicente, R. (2022). Recent progress in the chemistry of 12-membered pyridine-containing tetraazamacrocycles: from synthesis to catalysis. DALTON TRANSACTIONS, 51(28), 10635-10657 [10.1039/d2dt00597b].	4.57
123	Panzeri, L., Galli, A., Maspero, F., Saleh, M., Martini, M. (2022). The activities of the LAMBDA (Laboratory of Milano Bicocca university for Dating and Archaeometry): what's new?. JOURNAL OF PHYSICS. CONFERENCE SERIES, 2204(1) [10.1088/1742-6596/2204/1/012047].	
124	Parravicini, J., Delre, E., Perego, S., Acciarri, M., Binetti, S., Garcia, Y., et al. (2022). Key role of polar nanoregions in the cubic-to-tetragonal phase transition of potassium-based perovskites. PHYSICAL REVIEW. B, 106(6) [10.1103/PhysRevB.106.064107].	3.91
125	Parrino, F., D'Arienzo, M., Mostoni, S., Dire, S., Ceccato, R., Bellardita, M., et al. (2022). Electron and Energy Transfer Mechanisms: The Double Nature of TiO2 Heterogeneous Photocatalysis. TOPICS IN CURRENT CHEMISTRY, 380(1) [10.1007/s41061-021-00358-2].	8.91
126	Pecorario, S., Royakkers, J., Scaccabarozzi, A., Pallini, F., Beverina, L., Bronstein, H., et al. (2022). Effects of Molecular Encapsulation on the Photophysical and Charge Transport Properties of a Naphthalene Diimide Bithiophene Copolymer. CHEMISTRY OF MATERIALS, 34(18), 8324-8335 [10.1021/acs.chemmater.2c01894].	10.51
127	Peng, J., Giordano, L., Davenport, T., Shao-Horn, Y. (2022). Stability Design Principles of Manganese-Based Oxides in Acid. CHEMISTRY OF MATERIALS, 34(17), 7774-7787 [10.1021/acs.chemmater.2c01233].	10.51

#	Publication details	IF
128	Peng, J., Schwalbe-Koda, D., Akkiraju, K., Xie, T., Giordano, L., Yu, Y., et al. (2022). Human- and machine-centred designs of molecules and materials for sustainability and decarbonization. NATURE REVIEWS. MATERIALS, 7(12), 991-1009 [10.1038/s41578-022- 00466-5].	76.68
129	Perego, J., Bezuidenhout, C., Villa, I., Cova, F., Crapanzano, R., Frank, I., et al. (2022). Highly luminescent scintillating hetero-ligand MOF nanocrystals with engineered Stokes shift for photonic applications. NATURE COMMUNICATIONS, 13(1 (December 2022)) [10.1038/s41467-022-31163-0].	17.69
130	Perilli, D., Breglia, R., Di Valentin, C. (2022). Using Coordination Chemistry Concepts to Unravel Electronic Properties of SACs in Bidimensional Materials. JOURNAL OF PHYSICAL CHEMISTRY. C, 126(23), 9615-9622 [10.1021/acs.jpcc.2c02307].	4.18
131	Ponzini, E., Santambrogio, C., De Palma, A., Mauri, P., Tavazzi, S., Grandori, R. (2022). Mass spectrometry-based tear proteomics for noninvasive biomarker discovery. MASS SPECTROMETRY REVIEWS, 41(5), 842-860 [10.1002/mas.21691].	9.01
132	Ponzini, E., Tavazzi, S., Musile, G., Tagliaro, F., Grandori, R., Santambrogio, C. (2022). Contact Lens Wear Induces Alterations of Lactoferrin Functionality in Human Tears. PHARMACEUTICS, 14(10) [10.3390/pharmaceutics14102188].	6.53
133	Porporato, S., Bartoli, M., Piovano, A., Pianta, N., Tagliaferro, A., Elia, G., et al. (2022). Repurposing Face Masks after Use: From Wastes to Anode Materials for Na-Ion Batteries. BATTERIES, 8(10) [10.3390/batteries8100183].	5.94
134	Ramic, K., Marquez Damian, J., Kittelmann, T., Di Julio, D., Campi, D., Bernasconi, M., et al. (2022). NJOY+NCrystal: An open-source tool for creating thermal neutron scattering libraries with mixed elastic support. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, 1027(11 March 2022) [10.1016/j.nima.2021.166227].	1.34
135	Ranaudo, A., Greco, C., Moro, G., Zucchi, A., Mattiello, S., Beverina, L., et al. (2022). Partition of the Reactive Species of the Suzuki-Miyaura Reaction between Aqueous and Micellar Environments. JOURNAL OF PHYSICAL CHEMISTRY. B, CONDENSED MATTER, MATERIALS, SURFACES, INTERFACES & BIOPHYSICAL, 126(45), 9408-9416 [10.1021/acs.jpcb.2c04591].	3.47
136	Recchioni, A., Mocciardini, E., Ponzini, E., Tavazzi, S. (2022). Viscoelastic properties of the human tear film. EXPERIMENTAL EYE RESEARCH, 2022(219) [10.1016/j.exer.2022.109083].	3.77
137	Reichmann, F., Scalise, E., Becker, A., Hofmann, E., Dabrowski, J., Montalenti, F., et al. (2022). New insights into the electronic states of the Ge(0 0 1) surface by joint angle-resolved photoelectron spectroscopy and first-principle calculation investigation. APPLIED SURFACE SCIENCE, 571(1 January 2022) [10.1016/j.apsusc.2021.151264].	7.39

#	Publication details	IF
138	Ren, Z., Ruan, L., Yin, L., Akkiraju, K., Giordano, L., Liu, Z., et al. (2022). Surface Oxygen Vacancies Confined by Ferroelectric Polarization for Tunable CO Oxidation Kinetics. ADVANCED MATERIALS, 34(30) [10.1002/adma.202202072].	32.09
139	Ronchi, A., Monguzzi, A. (2022). Sensitized triplet-triplet annihilation based photon upconversion in full organic and hybrid multicomponent systems. CHEMICAL PHYSICS REVIEWS, 3(4) [10.1063/5.0112032].	
140	Rossi, S., Talamas Simola, E., Raimondo, M., Acciarri, M., Pedrini, J., Balocchi, A., et al. (2022). Optical Manipulation of the Rashba Effect in Germanium Quantum Wells. ADVANCED OPTICAL MATERIALS, 10(18) [10.1002/adom.202201082].	10.05
141	Ruschioni, G., Micheletti, F., Bonizzoni, L., Orsilli, J., Galli, A. (2022). FUXYA2020: A Low-Cost Homemade Portable EDXRF Spectrometer for Cultural Heritage Applications. APPLIED SCIENCES, 12(3), 1-15 [10.3390/app12031006].	2.84
142	Santambrogio, C., Ponzini, E., Grandori, R. (2022). Native mass spectrometry for the investigation of protein structural (dis)order. BIOCHIMICA ET BIOPHYSICA ACTA-PROTEINS AND PROTEOMICS, 1870(10) [10.1016/j.bbapap.2022.140828].	4.13
143	Santoro, C., Bollella, P., Erable, B., Atanassov, P., Pant, D. (2022). Oxygen reduction reaction electrocatalysis in neutral media for bioelectrochemical systems. NATURE CATALYSIS, 5(6), 473-484 [10.1038/s41929-022-00787-2].	40.71
144	Santoro, C., Lavacchi, A., Mustarelli, P., Di Noto, V., Elbaz, L., Dekel, D., et al. (2022). What is Next in Anion-Exchange Membrane Water Electrolyzers? Bottlenecks, Benefits, and Future. CHEMSUSCHEM, 15(8) [10.1002/cssc.202200027].	9.14
145	Scalise, E., Zimbone, M., Marzegalli, A. (2022). Impact of Inversion Domain Boundaries on the Electronic Properties of 3C-SiC. PHYSICA STATUS SOLIDI B-BASIC RESEARCH, 259(9) [10.1002/pssb.202200093].	1.78
146	Schmitt, S., Renzer, G., Benrath, J., Best, A., Jiang, S., Landfester, K., et al. (2022). Monitoring the Formation of Polymer Nanoparticles with Fluorescent Molecular Rotors. MACROMOLECULES, 55(16), 7284-7293 [10.1021/acs.macromol.2c01132].	6.06
147	Secchi, V., Monguzzi, A., Villa, I. (2022). Design Principles of Hybrid Nanomaterials for Radiotherapy Enhanced by Photodynamic Therapy. INTERNATIONAL JOURNAL OF MOLECULAR SCIENCES, 23(15) [10.3390/ijms23158736].	6.21
148	Siani, P., Di Valentin, C. (2022). Effect of dopamine-functionalization, charge and pH on protein corona formation around TiO2 nanoparticles. NANOSCALE, 14(13), 5121-5137 [10.1039/d1nr07647g].	8.31
149	Siani, P., Donadoni, E., Ferraro, L., Re, F., Di Valentin, C. (2022). Molecular dynamics simulations of doxorubicin in sphingomyelin-based lipid membranes. BIOCHIMICA ET BIOPHYSICA ACTA-BIOMEMBRANES, 1864(1) [10.1016/j.bbamem.2021.183763].	4.02

#	Publication details	IF
150	Siani, P., Frigerio, G., Donadoni, E., Di Valentin, C. (2022). Molecular dynamics simulations of cRGD-conjugated PEGylated TiO\$_{2}\$ nanoparticles for targeted photodynamic therapy. JOURNAL OF COLLOID AND INTERFACE SCIENCE, 627(December 2022), 126-141 [10.1016/j.jcis.2022.07.045].	9.97
151	Soria, F., Daldossi, C., Di Valentin, C. (2022). Tuning the electron injection mechanism by changing the adsorption mode: the case study of Alizarin on TiO2. MATERIALS TODAY ENERGY, 28(August 2022) [10.1016/j.mtener.2022.101085].	9.26
152	Sovizi, S., Tosoni, S., Szoszkiewicz, R. (2022). MoS2 oxidative etching caught in the act: formation of single (MoO3)n molecules. NANOSCALE ADVANCES, 4(21), 4517-4525 [10.1039/d2na00374k].	5.60
153	Stallings, K., Turrisi, R., Chen, Y., Zeng, L., Wang, B., Smith, J., et al. (2022). Systematic Analysis of Self-Assembled Nanodielectric Architecture and Organization Effects on Organic Transistor Switching. ACS APPLIED ELECTRONIC MATERIALS, 4(4), 2015-2025 [10.1021/acsaelm.2c00177].	4.49
154	Stigliano, P., Ferrara, C., Pianta, N., Gentile, A., Mezzomo, L., Lorenzi, R., et al. (2022). Physicochemical properties of Pyr13TFSI-NaTFSI electrolyte for sodium batteries. ELECTROCHIMICA ACTA, 412(20 April 2022) [10.1016/j.electacta.2022.140123].	7.34
155	Stilli, P., Bonizzoni, S., Lohmann-Richters, F., Beverina, L., Papagni, A., Mustarelli, P. (2022). Aquivion®-based anionic membranes for water electrolysis. ELECTROCHIMICA ACTA, 405(10 February 2022) [10.1016/j.electacta.2022.139834].	7.34
156	Stojkovska, M., Perilli, D., Eduardo Barcelon, J., Smerieri, M., Carraro, G., Hien Dinh, T., et al. (2022). Well-ordered surface metal atoms complexation by deposition of Pd cyclometallated compounds on Ag (1 1 0). APPLIED SURFACE SCIENCE, 606(30 December 2022) [10.1016/j.apsusc.2022.154960].	7.39
157	Syafiq, U., Isotta, E., Ataollahi, N., Lohani, K., Luong, S., Trifiletti, V., et al. (2022). Facile and Low-Cost Fabrication of Cu/Zn/Sn-Based Ternary and Quaternary Chalcogenides Thermoelectric Generators. ACS APPLIED ENERGY MATERIALS, 5(5), 5909-5918 [10.1021/acsaem.2c00268].	6.96
158	Tagliaro, I., Cobani, E., Carignani, E., Conzatti, L., D'Arienzo, M., Giannini, L., et al. (2022). The self-assembly of sepiolite and silica fillers for advanced rubber materials: The role of collaborative filler network. APPLIED CLAY SCIENCE, 218(1 March 2022) [10.1016/j.clay.2021.106383].	5.91
159	Tamburini, G., Canevali, C., Ferrario, S., Bianchi, A., Sansonetti, A., Simonutti, R. (2022). Optimized Semi-Interpenetrated p(HEMA)/PVP Hydrogels for Artistic Surface Cleaning. MATERIALS, 15(19) [10.3390/ma15196739].	3.75

#	Publication details	IF
160	Tavani, G., Chiappini, A., Fedorov, A., Scotognella, F., Sanguinetti, S., Chrastina, D., et al. (2022). Tailoring of embedded dielectric alumina film in AlGaAs epilayer by selective thermal oxidation. OPTICAL MATERIALS EXPRESS, 12(2), 835-844 [10.1364/OME.450183].	3.07
161	Tavazzi, S., Ponzini, E., Caridi, A., Secreti, S., Miglio, F., Duse, A., et al. (2022). Does blue- violet filtering in contact lenses improve contrast sensitivity?. CONTACT LENS & ANTERIOR EYE, 45(5 (October 2022)) [10.1016/j.clae.2021.101558].	3.95
162	Tejerina, L., Rapidis, A., Rickhaus, M., Murto, P., Genene, Z., Wang, E., et al. (2022). A porphyrin pentamer as a bright emitter for NIR OLEDs. JOURNAL OF MATERIALS CHEMISTRY. C, 10(15), 5929-5933 [10.1039/d1tc05951c].	8.07
163	Thang, H., Maleki, F., Tosoni, S., Pacchioni, G. (2022). Vibrational Properties of CO Adsorbed on Au Single Atom Catalysts on TiO2(101), ZrO2(101), CeO2(111), and LaFeO3(001) Surfaces: A DFT Study. TOPICS IN CATALYSIS, 65(17-18), 1573-1586 [10.1007/s11244-021-01514-0].	2.78
164	Thang, H., Pham, T., Pacchioni, G. (2022). DFT study of electronic properties of N-doped ZnO and ZnO/Cu(111) bilayer films. SURFACE SCIENCE, 716(February 2022) [10.1016/j.susc.2021.121978].	2.07
165	Thite, N., Desiato, A., Shinde, L., Wolffsohm, J., Naroo, S., Santodomingo Rubido, J., et al. (2022). Differences in Practitioner Experience, Practice Type, and Profession in Attitudes Toward Growing Contact Lens Practice. EYE & CONTACT LENS, 48(9), 369-376 [10.1097/ICL.000000000000920].	3.15
166	Toso, S., Imran, M., Mugnaioli, E., Moliterni, A., Caliandro, R., Schrenker, N., et al. (2022). Halide perovskites as disposable epitaxial templates for the phase-selective synthesis of lead sulfochloride nanocrystals. NATURE COMMUNICATIONS, 13(1) [10.1038/s41467-022- 31699-1].	17.69
167	Tosoni, S., Pacchioni, G. (2022). Magnetic nature and hyperfine interactions of transition metal atoms adsorbed on ultrathin insulating films: a challenge for DFT. PHYSICAL CHEMISTRY CHEMICAL PHYSICS, 24(26), 15891-15903 [10.1039/d2cp01224c].	3.95
168	Trojanowska, D., Suarato, G., Braccia, C., Armirotti, A., Fiorentini, F., Athanassiou, A., et al. (2022). Wool Keratin Nanoparticle-Based Micropatterns for Cellular Guidance Applications. ACS APPLIED NANO MATERIALS, 5(10), 15272-15287 [10.1021/acsanm.2c03116].	6.14
169	Tseberlidis, G., Trifiletti, V., Vitiello, E., Husien, A., Frioni, L., Da Lisca, M., et al. (2022). Band-Gap Tuning Induced by Germanium Introduction in Solution-Processed Kesterite Thin Films. ACS OMEGA, 7(27), 23445-23456 [10.1021/acsomega.2c01786].	4.13
170	Tuktamyshev, A., Vichi, S., Cesura, F., Fedorov, A., Bietti, S., Chrastina, D., et al. (2022). Flat metamorphic InAIAs buffer layer on GaAs(111)A misoriented substrates by growth kinetics control. JOURNAL OF CRYSTAL GROWTH, 600(15 December 2022) [10.1016/j.jcrysgro.2022.126906].	1.83

#	Publication details	IF
171	Tuktamyshev, A., Vichi, S., Cesura, F., Fedorov, A., Carminati, G., Lambardi, D., et al. (2022). Strain Relaxation of InAs Quantum Dots on Misoriented InAlAs(111) Metamorphic Substrates. NANOMATERIALS, 12(20) [10.3390/nano12203571].	5.72
172	Tumino, F., Rabia, A., Bassi, A., Tosoni, S., Casari, C. (2022). Interface-Driven Assembly of Pentacene/MoS2 Lateral Heterostructures. JOURNAL OF PHYSICAL CHEMISTRY. C, 126(2), 1132-1139 [10.1021/acs.jpcc.1c06661].	4.18
173	Vaghi, L., Rizzo, F., Pedrini, J., Mauri, A., Meinardi, F., Cosentino, U., et al. (2022). Bypassing the statistical limit of singlet generation in sensitized upconversion using fluorinated conjugated systems. PHOTOCHEMICAL & PHOTOBIOLOGICAL SCIENCES, 21(5), 913-921 [10.1007/s43630-022-00225-z].	4.33
174	Van Dao, D., Di Liberto, G., Ko, H., Park, J., Wang, W., Shin, D., et al. (2022). LaFeO3 meets nitrogen-doped graphene functionalized with ultralow Pt loading in an impactful Z-scheme platform for photocatalytic hydrogen evolution. JOURNAL OF MATERIALS CHEMISTRY. A, 10(7), 3330-3340 [10.1039/d1ta10376h].	14.51
175	Vanacore, G., Chrastina, D., Scalise, E., Barbisan, L., Ballabio, A., Mauceri, M., et al. (2022). Nanostructured 3C-SiC on Si by a network of (111) platelets: a fully textured film generated by intrinsic growth anisotropy. PHYSICAL CHEMISTRY CHEMICAL PHYSICS, 24(39), 24487- 24494 [10.1039/d2cp03250c].	3.95
176	Vichi, S., Bietti, S., Basso Basset, F., Tuktamyshev, A., Fedorov, A., Sanguinetti, S. (2022). Optically controlled dual-band quantum dot infrared photodetector. NANOMATERIALS AND NANOTECHNOLOGY, 12 [10.1177/18479804221085790].	3.28
177	Vile, G., Di Liberto, G., Tosoni, S., Sivo, A., Ruta, V., Nachtegaal, M., et al. (2022). Azide- Alkyne Click Chemistry over a Heterogeneous Copper-Based Single-Atom Catalyst. ACS CATALYSIS, 12(5), 2947-2958 [10.1021/acscatal.1c05610].	13.70
178	Vitulo, P., Zanoletti, M., Morina, R., Callegari, D., Quartarone, E., Viola, R., et al. (2022). The Electrical Response of Real Dielectrics: Using the Voltage Ramp Method as a Straightforward Diagnostic Tool for Polymeric Composites. MATERIALS, 15(11) [10.3390/ma15113829].	3.75
179	Vonruti, N., Rao, R., Giordano, L., Shao-Horn, Y., Aschauer, U. (2022). Implications of Nonelectrochemical Reaction Steps on the Oxygen Evolution Reaction: Oxygen Dimer Formation on Perovskite Oxide and Oxynitride Surfaces. ACS CATALYSIS, 12(2), 1433-1442 [10.1021/acscatal.1c03308].	13.70
180	Xue, P., Calascibetta, A., Chen, K., Thorn, K., Jiang, Y., Shi, J., et al. (2022). Enhancing exciton diffusion by reducing energy disorder in organic solar cells. JOURNAL OF MATERIALS CHEMISTRY. A, 10(45), 24073-24083 [10.1039/d2ta07113d].	14.51
181	Yang, C., Atwater, H., Baldo, M., Baran, D., Barile, C., Barr, M., et al. (2022). Consensus statement: Standardized reporting of power-producing luminescent solar concentrator performance. JOULE, 6(1), 8-15 [10.1016/j.joule.2021.12.004].	46.05

#	Publication details	IF
182	Yimam, D., Van Der Ree, A., Abou El Kheir, O., Momand, J., Ahmadi, M., Palasantzas, G., et al. (2022). Phase Separation in Ge-Rich GeSbTe at Different Length Scales: Melt-Quenched Bulk versus Annealed Thin Films. NANOMATERIALS, 12(10) [10.3390/nano12101717].	5.72
183	Yuan, S., Peng, J., Cai, B., Huang, Z., Garcia-Esparza, A., Sokaras, D., et al. (2022). Tunable metal hydroxide–organic frameworks for catalysing oxygen evolution. NATURE MATERIALS, 21(6), 673-680 [10.1038/s41563-022-01199-0].	47.66
184	Zaffalon, M., Cova, F., Liu, M., Cemmi, A., Di Sarcina, I., Rossi, F., et al. (2022). Extreme γ- ray radiation hardness and high scintillation yield in perovskite nanocrystals. NATURE PHOTONICS, 16(12 (December 2022)), 860-868 [10.1038/s41566-022-01103-x].	39.73
185	Zago, S., Bartoli, M., Muhyuddin, M., Vanacore, G., Jagdale, P., Tagliaferro, A., et al. (2022). Engineered biochar derived from pyrolyzed waste tea as a carbon support for Fe-N-C electrocatalysts for the oxygen reduction reaction. ELECTROCHIMICA ACTA, 412(20 April 2022) [10.1016/j.electacta.2022.140128].	7.34
186	Zarattini, M., Dun, C., Isherwood, L., Felten, A., Filippi, J., Gordon, M., et al. (2022). Synthesis of 2D anatase TiO2 with highly reactive facets by fluorine-free topochemical conversion of 1T-TiS2 nanosheets. JOURNAL OF MATERIALS CHEMISTRY. A, 2022(10), 13884-13894 [10.1039/D1TA06695A].	14.51
187	Zhu, Y., Leverick, G., Giordano, L., Feng, S., Zhang, Y., Yu, Y., et al. (2022). Nitrate-mediated four-electron oxygen reduction on metal oxides for lithium-oxygen batteries. JOULE, 6(8), 1887-1903 [10.1016/j.joule.2022.06.032].	46.05

THIRD MISSION

Authors	Title	Details
Abbotto, A	La mobilità elettrica. Storia, tecnologia, futuro	Carocci
Crapanzano, R; Villa, I; Di Credico, B; D'Arienzo, M; Fasoli, M; Mostoni, S; Scotti, R; Vedda, A	Defect-Related Optical Properties of ZnO Nanoparticles in ZnO/SiO2 Systems	In M. Cesaria, A. Calà Lesina, J. Collins (editors), Light-Matter Interactions Towards the Nanoscale (pp. 255-257). Springer
Monguzzi, A	Photon Upconversion Based on Sensitized Triplet-Triplet Annihilation (sTTA) in Solids	In J. Sandby Lissau, M. Madsen (editors), Emerging Strategies to Reduce Transmission and Thermalization Losses in Solar Cells Redefining the Limits of Solar Power Conversion Efficiency (pp. 49-70). Springer DOI: 10.1007/978-3-030-70358-5_4
Nisticò, R	Hybrid inorganic-organic magnetic systems for environmental applications	Seminar
Susanna, A; Donetti, R; Hanel, T; Milana, P; Scotti, R; Mostoni, S; Di Credico, B; D'Arienzo, M	Processo per la preparazione di mescole per pneumatici e pneumatici che le comprendono	Italian patent: 102022000012146
Tagliaro, I; Cerpelloni, A; Nikiforidis, V; Pillai, R; Antonini, C	On the Development of Icephobic Surfaces: Bridging Experiments and Simulations	In M. Marengo, J. De Coninck (editors), The Surface Wettability Effect on Phase Change (pp. 235-272). Springer DOI: 10.1007/978-3-030-82992-6_8
Zeri, F	Controllare la progressione della miopia agendo sul defocus ottico periferico: possibilità e limiti.	Seminar

PhD THESES

DOCTORATE IN MATERIALS SCIENCE AND NANOTECHNOLOGY

https://en.unimib.it/education/doctoral-research-phd-programmes/phd-programmes/materials-science-and-nanotechnology

Authors	Title
BARBISAN, L	Extended defects in heteroepitaxial structures on silicon by Molecular Dynamics simulations: applications to SiGe and cubic SiC
BESGHINI, D	TD-NMR for structural and dynamical studies of complex macromolecular materials
BONIZZONI, S	Anion conducting polymers for fuel cell and electrolyzer
CAPITANI, C	Synthesis of semiconductor colloidal nanocrystals with large Stokes-shift for luminescent solar concentrators
CARUSO, F	Study of electrical conduction and defects in high-permittivity metal oxides: experiments and simulation
CERIANI, C	Organic materials for (opto)electronics introducing sustainability in design, synthesis and manufacturing
CIPRIANO MARCOS, L	Theoretical study of semiconductor heterojunctions for photo-and electro-catalysis
CRAPANZANO, R	Insight into ZnO luminescence to engineer nanoparticles for X-Ray based cancer treatment
DE BELLIS, V	Multifunctionalized molecular systems for elastomers functionalization and as innovative crosslinkers in rubber compounds
DECAVOLI, C	Organic dye-based photosystems for the production of solar fuels
DITERLIZZI, M	Polymeric water-processable nanoparticles towards sustainable organic photovoltaics
GENTILE, A	MXene-based materials for alkaline-ion batteries: synthesis, properties, applications
GIUSTRA, M	Synthesis of multi-branched polymers for the stabilization of metallic nanoparticles
MILANA, P	Single-site metal activator for enhancing curing efficiency and substituting zinc in rubber vulcanization process
PIANTA, N	Strategies for the optimization and characterization of materials for energy storage
RONCHI, A	Hybrid and Nanostructured materials for low power photon upconversion based on triplet- triplet annihilation

CENTRES

CONSORTIA

SPIN-OFFS

IT THE

THE

State and

STRUCTURES

CONSULTING

https://www.mater.unimib.it/it/servizi-imprese/prestazioni-conto-terzi

The Department of Materials Science has a range of specialist equipment for providing services to external companies and other public or private organizations. It offers a comprehensive service for the investigation of materials and materials-related problems, such as effect of processing and compatibility with other materials.. The expertise of the research staff and extensive facilities can be used in a variety of ways to support industries, including:

- Materials characterization
- Research projects
- Consulting
- Training

MATERIALS CHARACTERIZATION

Investigating the properties of materials such as:

- Structure/microstructure
- Composition
- Thermal behavior
- Morphology
- Optical, electric, electro-optical, magnetic properties
- Dating and characterization of ancient materials

RESEARCH PROJECTS

Providing technical and creative solutions to specific materials-related problems, designing and projecting new materials, working at the forefront of ground-breaking technologies in the areas of Materials Science, Nanotechnology, Photonics and Biophotonics, Optics, Electronics and Optoelectronics, Spintronics, Energy and Environments, Cultural Heritage. The Department is also involved in multidisciplinary and interdepartment centres.

CENTRES



CENTRO INTERDIPARTIMENTALE PER GLI STUDI DI GENERE

https://abcd.unimib.it/

The ABCD research center of University of Milano – Bicocca promotes and disseminates gender research and gender studies. The main aims of the Center are:

to encourage scientific cooperation between scholars from different disciplines, with the aim of identifying new directions for gender-sensitive research, at both national and international level;

to disseminate gender-sensitive knowledge through research projects and research publications;

to organize conferences, seminars, meetings and to support events to disseminate gender knowledge and gender studies;

to facilitate opportunities for discussion within and outside the University about gender issues and to support cooperation with communities, associations, and institutions for a better integration of the gender dimension in research programs

to promote education activities on gender differences and inequalities.

BIQUTE

BICOCCA QUANTUM TECHNOLOGIES

https://biqute.unimib.it/

Interdepartmental initiative to strengthen Quantum Technology research and innovation, training, and technology transfer in University of Milano-Bicocca. The initiative encompasses research on superconducting quantum devices, advanced quantum materials, non-classical single photon sources and detectors, semiconductor spin qubits, quantum computing and artificial intelligence.

The initiative leverages collaborations with national and international research institutes, such as Istituto Nazionale di Fisica Nucleare (INFN), Fondazione Bruno Kessler (FBK), Istituto Nazionale per la Ricerca Metrologica (INRiM), National Institute for Science and Technology (NIST), and Superconducting Quantum Materials and Systems Center (SQMS) at Fermilab.

Scientific Committee: Prof. Marco Fanciulli (Dipartimento di Scienza dei Materiali), Prof. Claudio Ferretti (Dipartimento di Informatica, Sistemistica e Comunicazione), Prof. Alberto Leporati (Dipartimento di Informatica, Sistemistica e Comunicazione), Prof. Angelo Nucciotti, Scientific Director (Dipartimento di Fisica "G. Occhialini"), Prof. Stefano Sanguinetti (Dipartimento di Scienza dei Materiali), Prof. Alberto Zaffaroni (Dipartimento di Fisica "G. Occhialini").



BIPAC CENTRO INTERDIPARTIMENTALE DI RICERCA SUL PATRIMONIO STORICO ARTISTICO E CULTURALE

https://bipac.unimib.it/

BIPAC encourages the Third Mission of the University System and the University Social Responsibility. Promotes infotainment, public engagement programs as well as cultural and educational activities on Cultural Heritage in the wider possible contexts. Members of BIPAC are 12 over 14 departments of UNIMIB:

Materials Science, Earth and Environmental Sciences, Physics "G. Occhialini", Informatics, System and Communication, Human Sciences for Education "Riccardo Massa", Sociology and Social Research, Law, Psycology, Biotechnology and Biosciences, Business and Law, Economics Management and Statistics, Statistics and Quantitative Methods



UNIVERSITY RESEARCH CENTER IN OPTICS AND OPTOMETRY OF MILANO-BICOCCA

The University Research Center in Optics and Optometry of Milano-Bicocca (COMiB) was established in 2015 at the Department of Materials Science. COMiB is a platform born to aggregate and coordinates the researchers who operate in the field of vision science. The main objectives of the Center are:

- promote and develop new research in the field of optometry and contact lenses;

- supporting the interaction and collaboration between different disciplines such as Optometry, Physics, Materials Science, Psychology, Biology, Chemistry, Medicine, IT, Biostatistics

- activate collaborations with public and private bodies (eg. schools, sports centers, and companies) for visual screening

- activate both national and international research projects in the field of vision science.

- organize events, seminars, and training activities for professionals in the sector, also proposing itself as an Academy to companies interested in training courses of high professional level by making available the structure and skills of the Center.



CENTRO UNIVERSITARIO DATAZIONI E ARCHEOMETRIA MILANO BICOCCA

https://archeometria.mater.unimib.it/

The UNIMIB Laboratories involved in geological and archaeological dating are members of CUDaM. The Centre presently counts about 30 members from the four participating departments:

Materials Science, Earth and Environmental Sciences, Physics "G. Occhialini", Informatics, System and Communication

Dating techniques:

- Thermoluminescence
- Optically Stimulated Luminescence

CUDAM

- Dendrochronology,
- Radiocarbon
- RHX

L-NESS L-NESS INTER-UNIVERSITY

INTER-UNIVERSITY CENTER FOR NANOMETRIC EPITAXIAL STRUCTURES ON SILICON AND SPINTRONICS

http://lness.como.polimi.it/index.php

This is a joint research center of University of Milano Bicocca and Politecnico di Milano, established in 2002 by Prof. Leo Miglio of the Department of Materials Science, with Politecnico colleagues of the Department of Physics and the Department of Electronics, and Prof. Hans von Känel from the Department of Physics of ETH Zürich. The main laboratories are located at the Politecnico site in Como, equipped by MBE and CVD deposition systems, clean room, optical lithography, XRD, AFM, electrical station, e-beam lithography. Partners laboratories of PL and Raman spectroscopy, materials modeling, and PV cells material characterization are located at the Department of Materials Science of the University of Milano Bicocca.

Running research activities are mainly focused on group IV and III-V semiconductors and graphene for microelectronic, optoelectronic and energy-saving/production applications. L-NESS gives a unique opportunity to work in one international environment, fully equipped with high-tech deposition and micro-fabrication tools.



MIB-SOLAR SOLAR ENERGY RESEARCH CENTER

www.mibsolar.mater.unimib.it

MIB-SOLAR was constituted in July 2010 with the goal to assemble and organize the diverse experiences of research in the field of materials and devices for solar energy applications at the University of Milano-Bicocca. Through MIB-SOLAR the department of Material Science supports the national business community in research and development of new materials and technologies for solar energy application, mainly photovoltaics and solar fuels (artificial photosynthesis and water splitting). The Centre presently counts about 25 members. MIB-SOLAR has been included amongst the top players in the power industry 'made in Italy' ("100 italian energy stories" by Enel and Symbola).

Main objectives of MIB-SOLAR are:

- study and research of new materials and devices related to solar energy in its various forms;
- the aggregation and coordination of researchers in the field of solar energy;
- training of young researchers in the field of materials science and technology for solar energy;
- the development of intellectual property of the University of Milano-Bicocca in the field of solar energy;
- cooperation with institutions, public and private research centers, and Fondazioni in the field of solar energy;
- support and technology transfer to companies operating in the field of solar energy;
- promotion of seminars, conferences, meetings and discussions for the study and exchange of information and knowledge in the field of solar energy.

MIB-SOLAR facilities include fully equipped laboratories for computational investigation, synthesis and characterization of inorganic and organic materials, and state-of-the-art instrumentation for lab scale and pre-industrial preparation of solar small and medium devices with full investigation of solar production of energy (electricity, fuels) and stability properties:

- preparation and full characterization of materials and devices for photovoltaics, from silicon, to inorganic and organic thin films;
- preparation and full characterization of materials and devices for solar fuels (artificial photosynthesis);
- fully equipped laboratories for organic and organometallic synthesis and characterization;
- fully equipped laboratories for optical and electrochemical investigation;
- main facilities for the preparation of devices (sputtering system, nitrogen and argon filled glove boxes, laser scribing machine, titanium hotplates, screen printers, UV-ozone cleaners, etc.);
- main facilities for the full characterization of solar devices (solar simulators up to 6 x 6 inches, I/V characterization, internal and external quantum efficiency, light soaking chamber for cell ageing, stability studies, electrochemical impedance spectrometer, measurements of hydrogen and oxygen via water splitting under irradiation).

CONSORTIA

DELTATI RESEARCH



DeltaTi Research was founded in 2011 as a joint spin-off between the University of Milano-Bicocca and ERG SpA. The consortium, fully financially

supported by ERG, has aimed at the development of nanostructured silicon-based thermoelectric generators. Thermal harvesting is actually a key enabling technology to power the so-called Internet of Things, further to be a way to recover waste heat released at low temperatures by industrial plants, cars, and buildings.

Over the last five years DeltaTi Research has empowered a novel technological approach developed at the Department of Materials Science and protected now by eleven international patents. Low-cost, highefficiency generators based upon silicon nanocomposites have now reached full technological maturity. Technology was pre-industralised in 2014 and has then been transferred to LFoundry srl, which has joined the Consortium in 2015.

Over its five years of activity the Consortium R&D has signed research contacts for more than four million euros with a number of external institutions, including CNR, the Universities of Modena, Naples, and Vienna, the Fondazione Bruno Kessler, the Demokritos Research Center, and Altran SpA.



CNISM

CONSORZIO NAZIONALE INTERUNIVERSITARIO PER LE SCIENZE FISICHE DELLA MATERIA

The University of Milano-Bicocca is member of the Consorzio Nazionale Interuniversitario per le Scienze Fisiche della Materia (CNISM). The activities of the CNISM Research Unit at the Department of Materials Science are devoted to the

- Growth and optical spectroscopy of semiconductor quantum dots and heretostructures
- Optical and dielectric properties of oxide nanostructures for optical technology
- Thin films for applications in photonics and optoelectronics
- Simulation and modeling of the epitaxial growth of semiconductor nanostructures
- Growth, optical properties and photophysics of organic molecular semiconductors
- Chemical physics of the surface of semiconductors for gas sensing and photovoltaic applications
- Theory of low dimensional materials
- Ab-initio simulations of materials for data storage



CORIMAV

CONSORZIO PER LA RICERCA SUI MATERIALI AVANZATI

Since 2001, thanks to an agreement between the University of Milano-Bicocca and Pirelli Company, the Corimav Consortium for research on materials funds three scholarships per year for the industrial curriculum of the doctorate in Materials Science. Such Ph.D. positions often foster research activities related to tyres, but also more general topics such as nanotechnology and simulations of materials. Pirelli Company's experts lecture on management and intellectual properties at the Ph.D. school of Science and present seminars on specialized topics.



INSTM

CONSORZIO INTERUNIVERSITARIO NAZIONALE PER LA SCIENZA E LA TECNOLOGIA DEI MATERIALI

www.instm.it

Our University participates in INSTM, the National Interuniversity Consortium of Materials Science and Technology; its local Research Units is hosted by the Materials Science Department. The INSTM Consortium was founded in order to provide organisational, technical and financial support to disseminate knowledge in the field of materials science and technology within its affiliate universities. Its efficiency in bringing together and managing their considerable talents creates an effective critical mass that renders them highly competitive in taking on innovative research projects. From 2020, the Department hosts the local research unit of GISEL (National Group for Electrochemical Energy Storage) which was founded by Piercarlo Mustarelli in March 2020.

General Fields of Research are: Advanced mechanics, construction and transport, Energy and environment, Systems for the preparation, transmission and storage of information, Health and Nutrition. The success of INSTM is underlined by the sheer number and quality of the domestic and international projects involving INSTM's research groups that have been financed to date.
SPIN-OFFS



GALATEA BIOTECH - THE WHITE BIOTECH COMPANY

http://www.galateabiotech.com

Galatea Biotech is a White Bio Tech and Green Chemistry Spin-off of Milano-Bicocca University. The core business of Galatea is the R&D of technologies and processes for the production of fine and bulk chemicals by bio fermentation, as well as the production and marketing of these products and their derivatives. Galatea biotech is specialized in the production of bio plastics, enzymes, bi-functional molecules, organic acids and microbial strains suitable for the production of many different bio molecules. Our strength is the University Knowledge in biotechnology and materials science we can provide. In particular, our ability in using the DNA recombinant technique makes it possible for us to engineer selected microorganisms aiming to obtain a large number of molecules and materials that can be used in many different applications; a thorough material characterization permits a deep knowledge of our products in view of their applications. The technological processes developed by Galatea biotech build molecules with a low carbon footprint, which is typical of products of plant origin, and which contributes to the reduction of greenhouse gas emissions, achieving thus Kyoto's Protocol targets.



GLASS TO POWER

www.glasstopower.com

GLASS to POWER

Glass to Power is a spin-off of the University of Milan-Bicocca that was established in September 2016 with the goal of developing semi-transparent photovoltaic windows that can be integrated into the architecture of building façades. Interest in Building Integration Photovoltaics (BIPV), where the photovoltaic elements become an integral part of the building body, is growing worldwide. Photovoltaic specialists and innovative designers in Europe, Japan, and the U.S. are now exploring creative ways of incorporating solar electricity into buildings. The BIPV market is forecasted to significantly grow to over \$6 billion by 2022 at a yearly rate of ~30%. Europe will account for about 40% of the total market. Specifically, the nearly-Zero Energy Buildings (nZEB) sector is expected to be the fastest growing segment.

Glass to Power was founded under the guidance of Professor Francesco Meinardi (present chairman of the spin-off) and Professor Sergio Brovelli (chairman of the scientific committee) with an initial capital of 300,000 Euro. The main shareholders are: Industrie De Nora, Karma Srl, TEC Srl, University of Milan-Bicocca, and Management Innovations Srl.

Glass to Power's project is aimed at the industrialization and successive commercialization of Luminescent Solar Concentrators (LSCs) consisting of a semi-transparent panel of plastic material doped with chromophores that absorb the solar radiation and re-emit infrared photons. These latter are guided to the panel edges and here converted into electricity by conventional PV cells. Patents by Professors Brovelli and Meinardi have dramatically improved the LSC technology using as chromophores colloidal Quantum Dots (QDs) that can effectively decouple the processes of absorption and emission of light. This makes it possible to obtain colorless poly acrylate panels, with an electrical generation efficiency close to 5%, made of non-toxic materials that can be easily integrated into building walls and windows. Glass to Power currently enrolls two young researchers, Dr. Graziella Gariano and Dr Francesco Bruni, who were recently recruited for the realization of the first industrial-grade LSCs whose installation in beta-test environments is scheduled within the end of 2017.

GRAFTONICA

graftonica

TECNOLOGIE D'INNESTO, INNESTO DI TECNOLOGIE

www.graftonica.it

Graftonica produces and brings to market nanotech additives to meet the evolving needs of the rubber and plastics industry. Additives produced by Graftonica are easily dispersed in polymers can be provided as masterbatches. They improve the performance of polymer products, making them suitable for applications currently reserved to other classes of materials providing smart solutions: high dielectric constant materials for electronics, water and gas barrier for food packaging, high refraction index transparent materials for optics and photonics, modulated scattering materials for lighting, UV coatings for conservation and restoration of cultural heritage and biocompatible and biomimetic materials for implants, prosthetics, phantoms. The methodology developed at Graftonica for compatibilizing and dispersing inorganic nanofillers is inspired by state-of-the-art scientific concepts («lab on a particle») and combines the functional properties of nanoparticles with the structural properties of the polymer. The compatibilization technology can be applied on a wide range of commercial products, as well as on custom-made nanoparticles and on metal surfaces. As part of an integrated approach to develop and prototype innovative materials, Graftonica can also provide: analysis and deformulation of existing materials, including failure analysis; scale up of processes and reactions from literature.

PILEGROWTH TECH S.R.L.

PILEGROW

___ T E C H _

The company, established in September 2012 and spin-off of the University of Milano Bicocca, originates from one technological breakthrough for semiconductor integration in silicon obtained by Prof. Leo Miglio (CEO) and Prof. Hans von Känel (ETH Zürich, CTO), within the L-NESS inter-university center. It aims at developing, licensing, or selling innovative technologies manufacturing semiconductor structures and devices, with specific application to thick-film systems, such as high-efficiency photovoltaic cells, imaging detectors and power electronics devices. The company received Seed Money financing from Italian venture capital investors and one industrial partner.

The targets of the first year are to provide one demonstrator of Ge/GaAs-, or Ge/GaAs/InGaP-based PV cells for satellite applications, and the proof of concept that SiC-based power devices can be integrated in silicon. PileGrowth Tech is characterized by a strong link to international semiconductor laboratories, both in academia and in the industry. Contracts with the University of Milano Bicocca, Politecnico of Milano, the IMM-CNR Institutes of Catania and Bologna, PV cell manufacturers, such as CESI in Milano and ENE in Brussels, and ETC srl, SiC process developer in Catania, are already running. A strong scientific collaboration with Swiss federal institutions, such as ETH Zürich, CSEM SA (Swiss Center for Electronics and Micromachining) Neuchatel, and EMPA (Federal Institute of Materials Certification) are particularly active, within a collaboration for developing a new Ge-based X-ray imaging detector, integrated on a Si CMOS chip.

STRUCTURES



INTERDEPARTMENTAL MICROSCOPY PLATFORM

https://piattaformadimicroscopia.unimib.it/

The Interdepartmental Microscopy Platform aims at bringing together the interdepartmental services of optical and electron microscopies under a single structure. At the University of Milano-Bicocca an electron microscopy service has been active since 2004 and finally became part of the Microscopy Platform in 2017. The Platform was born from the collaboration of the Departments of Biotechnology and Biosciences, Physics, Earth and Environmental Sciences, and Materials Science. The Microscopy Platform provides service to the personnel of the University of Milano-Bicocca, as well as to the personnel of other universities, public research centers and no-profit centers for their institutional activities. Access to the microscopes is also open to individuals in the form of commissioned research. All services are regulated by a regulation and a tariff.

FACILITIES

- Scanning Electron Microscope (SEM) ZEISS FEG Gemini 500
- Transmission Electron Microscope JEOL (TEM) JEM 2100+
- Dual Beam SEM-FIB FEI Quanta 3D
- Scanning Electron Microscope (SEM) Tescan VEGA TS 5136XM
- Transmission Electron Microscope (TEM) JEOL JEM 1220
- Confocal microscope Nikon A1R.

Lunghezza d'enda	Edificis Uomo	Insetto	Pusto d'ago	Dethala	Molecula Molecula	Atomo Mana Jam	Nucleo Rucleo d'an
Banda	Onde Radio	Microinfe	Infrarcese	Visibile	Ultravioletto	RapgiX	Raggi gamma
Tecnica	Spolitroscopia cimpodonea	EPR: Electron paramagnetic resonance	Raman FTIR	UV-Vis: Assorbimentaji illeosione Falolumnescenza		Redit- 8 forme - tanéncisconza	Oamma-ray sportrescopy
Interazione	Rispuala dialattrica	Spin elettronico	Vitrazioni di atomi e gruppi funzionati	Transizioni distinoniche (piettroni di legame e elettroni esterni)		Translaloni elettroniche (elettroni interm)	Nudeireditellivi

INTERDEPARTMENTAL SPECTROSCOPY NETWORK

https://www.mater.unimib.it/it/ricerca/strutture-ricerca/laboratoriricerca/laboratori-interdipartimentali/rete-interdipartimentalespettroscopia

The Interdepartmental Microscopy Platform aims at bringing together the interdepartmental services of optical and electron microscopies under a single structure. At the University of Milano-Bicocca an electron microscopy service has been active since 2004 and finally became part of the Microscopy Platform in 2017. The Platform was born from the collaboration of the Departments of Biotechnology and Biosciences, Physics, Earth and Environmental Sciences, and Materials Science. The Microscopy Platform provides service to the personnel of the University of Milano-Bicocca, as well as to the personnel of other universities, public research centers and no-profit centers for their institutional activities. Access to the microscopes is also open to individuals in the form of commissioned research. All services are regulated by a regulation and a tariff.

FACILITIES

- Scanning Electron Microscope (SEM) ZEISS FEG Gemini 500
- Transmission Electron Microscope JEOL (TEM) JEM 2100+
- Dual Beam SEM-FIB FEI Quanta 3D
- Scanning Electron Microscope (SEM) Tescan VEGA TS 5136XM
- Transmission Electron Microscope (TEM) JEOL JEM 1220
- Confocal microscope Nikon A1R.

